



ONLINE SOMERSET HEALTH AND WELLBEING PROFILES

**Part of the
SOMERSET JOINT STRATEGIC
NEEDS ASSESSMENT 2011**

There are a number of profiles available on the internet describing the health and wellbeing status of populations. This is a summary of them for Somerset and its districts.

In this document data and titles of indicators are as found on the websites and no attempt to further explain titles or definitions is made here.

A complete description of the metadata describing the indicators shown can be found by following the links below.

The colour coding refers to comparison with the national values.

Apparent differences between values in different profiles could be because of different time periods covered or different definitions of the indicators and these can be further explained by looking at the relevant websites.

Links within this document are available by clicking on the names on the left hand side below, and links to the internet sites on the right.

Data included in the Profiles can be quoted for non-commercial use only.

PROFILE	WEB LINK	Page
General		
Health profiles	http://www.apho.org.uk/default.aspx?RID=49802 and http://www.localhealth.org.uk/	3
General Practice profiles	http://www.apho.org.uk/pracprof/	5
Basket of indicators	http://www.lho.org.uk/LHO_Topics/national_lead_areas/Basket_of_indicators/BasketOfIndicators.aspx	10
Marmot indicators of inequality	http://www.lho.org.uk/LHO_TOPICS/NATIONAL_LEAD_AREAS/MARMOT/MARMOTINDICATORS.ASPX	11
Children and Young People		
ChiMat demographic profile	http://atlas.chimat.org.uk/IAS/profiles/profile?profileId=19	12
ChiMat Child Health profiles	http://atlas.chimat.org.uk/IAS/dataviews/childhealthprofile	13
Infant mortality	http://atlas.chimat.org.uk/IAS/dataviews/infantmortalityprofile	14
Breastfeeding	http://atlas.chimat.org.uk/IAS/dataviews/breastfeedingprofile	15
Healthy Schools	http://atlas.chimat.org.uk/IAS/dataviews/healthyschoolsprofile	16
Older people		
Older people	http://www.wmpho.org.uk/olderpeopleatlas/default.aspx	17
End of life care	http://www.endoflifecare-intelligence.org.uk/profiles.aspx	20
End of life care 85+ (subset of above)	http://www.endoflifecare-intelligence.org.uk/profiles.aspx	27
Condition specific		
CVD	http://www.sepho.org.uk/NationalCVD/NationalCVDProfiles.aspx	29
Diabetes	http://yhpho.york.ac.uk/diabetesprofiles/default.aspx and http://yhpho.york.ac.uk/diabetesprofiles/foot/default.aspx	30
Cancer	http://www.swpho.nhs.uk/resource/view.aspx?RID=76241	32
Skin cancer	http://www.swpho.nhs.uk/skincancerhub/resource/view.aspx?QN=SCPR_DEFAULT	33
Urological cancers	http://www.swpho.nhs.uk/urologicalcancerhub/profiles.aspx	34
Other		
Health protection	http://www.hpa.org.uk/web/HPAweb&Page&HPAwebAutoListData/Page/1256639802523	35
Sexual health	http://www.hpa.org.uk/Topics/InfectiousDiseases/InfectionsAZ/SexualHealthProfilesAndIndex/	36
Tobacco Control	http://www.lho.org.uk/LHO_TOPICS/ANALYTIC_TOOLS/TOBACCOCONTROLPROFILES/	37
Alcohol	http://www.lape.org.uk/	38
Obesity	http://www.noo.org.uk/visualisation/eatlas	39

Health Profiles (Red = significantly worse than national rate, Green = significantly better than national rate, Yellow = no significant difference) [link to Contents](#)

Theme	Indicator	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	England best	England average	England worst
Our communities	Deprivation	4.0	2.5	6.8	2.9	4.3	3.3	0.0	19.9	89.2
	Proportion of children in poverty	14.2	13.5	16.0	12.6	13.8	19.5	5.7	20.9	57.0
	Statutory homelessness	2.55	2.09	1.15	3.57	2.89	2.13	0.08	1.86	8.28
	GCSE achieved (5A*-C inc. Eng & Maths)	54.0	53.2	51.50	53.9	58.6	50.20	78.6	55.3	38
	Violent crime	12.2	11.4	13.4	11.3	13.9	9.6	4.6	15.8	35.9
	Long term unemployment	2.2	2.4	2.6	1.3	2.7	2.4	1	6.2	19.6
Children's and young people's health	Smoking in pregnancy	18.3	18.30	18.30	18.30	18.30	18.30	4.5	14	31.4
	Breast feeding initiation	80.8	80.8	80.8	80.8	80.8	80.8	95.2	73.6	39.9
	Physically active children	51.3	45.90	55.5	49.50	56.7	43.60	80.3	55.1	26.7
	Obese children (Year 6)	15.7	16.9	16.6	15.1	15.1	13.8	10.7	18.7	28.6
	Children's tooth decay (at age 12)	0.8	0.6	1.00	0.6	0.90	1.20	0.2	0.7	1.6
	Teenage pregnancy (under 18)	33.2	29.9	35.6	34.5	34.3	27.0	14.6	40.2	69.4
Adult's health and lifestyle	Adults smoking	19.7	22.9	22.6	17.6	18.8	14.2	11.1	21.2	34.7
	Increasing and higher risk drinking	19.9	20.3	22.7	19.7	19.2	13.90	11.5	23.6	39.4
	Healthy eating adults	29.7	29.8	27.1	30.5	30.3	31.30	47.8	28.7	19.3
	Physically active adults	12.3	12.8	10.3	12.7	13.1	13.00	19.5	11.5	5.8
	Obese adults	25.9	25.7	26.80	26.20	24.3	26.30	13.9	24.2	30.7
Disease and poor health	Incidence of malignant melanoma	17.2	15.0	16.5	15.9	20.60	23.60	3.1	13.1	27.2
	Hospital stays for self-harm	226.8	200.1	190.3	254.40	261.30	217.80	48	198.3	497.5
	Hospital stays for alcohol related harm	1400	1310	1400	1440	1440	1340.0	849	1740	3110
	Drug misuse	5.5	5.3	5.2	5.3	5.8	7.0	1.8	9.4	23.8
	People diagnosed with diabetes	5.37	4.9	5.75	5.5	5.2	5.74	3.28	5.4	7.87
	New cases of tuberculosis	2	3.0	2.0	2.0	2.0	2.0	0	15	120
	Hip fracture in 65s and over	428.30	460.0	389.5	413.7	480.0	389.20	310.9	457.6	631.3
Life expectancy and causes of death	Excess winter deaths	21.10	18.2	19.7	21.5	20.1	32.10	5.4	18.1	32.1
	Life expectancy - male	79.4	79.8	78.5	80.0	78.9	79.8	84.4	78.3	73.7
	Life expectancy - female	83.5	83.6	83.4	84.0	82.5	84.0	89	82.3	79.1
	Infant deaths	4.20	4.7	4.2	3.5	4.6	4.84	0.68	4.71	10.63
	Smoking related deaths	173.6	167.5	201.7	160.0	176.2	162.2	131.9	216	361.5
	Early deaths: heart disease & stroke	54.0	47.2	57.0	52.7	58.8	54.1	37.9	70.5	122.1
	Early deaths: cancer	96.4	99.2	103.1	89.4	93.1	107.10	76.1	112.1	159.1
	Road injuries and deaths	55.90	54.8	63.20	55.00	43.6	77.80	13.7	48.1	155.2

Health Profiles (Red = significantly worse than national rate, Green = significantly better than national rate, Yellow = no significant difference) [link to Contents](#)

	Indicators	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	England
Our Community	Population aged <16 (2009)	18.3%	19.6%	18.3%	18.2%	18.6%	14.2%	18.7%
	Population aged 16-24 (2009)	9.9%	10.0%	9.7%	9.6%	10.4%	9.5%	12.0%
	Population aged 25-64 (2009)	50.9%	51.4%	51.6%	50.8%	51.0%	47.0%	53.0%
	Population aged 65-84 (2009)	17.8%	16.1%	17.6%	18.4%	16.8%	24.4%	14.0%
	Population aged 85 and over (2009)	3.1%	2.8%	2.8%	3.1%	3.2%	4.9%	2.2%
	Income Domain from Index of Deprivation 2010 The percentage of the population living in low income families reliant on means tested benefits.	10.8%	10.4%	12.1%	9.7%	10.6%	13.5%	14.7%
	Income Deprivation affecting Children Index 2010 Children 0–15 living in income-deprived households as a percentage of all children 0–15.	14.6%	13.5%	16.8%	13.1%	14.0%	20.7%	21.8%
	Income Deprivation affecting Older People Index 2010 Adults aged 60 or over living in pension credit (guarantee) households as a percentage of all adults aged 60 or over.	13.8%	13.5%	15.0%	12.8%	13.7%	14.6%	18.1%
Children's and Adults' lifestyle	Obese children (Year 6, 2009/10)	15.9%	15.8%	16.7%	15.7%	15.6%	14.2%	18.5%
	Obese adults (2006-8)	25.8%	25.8%	26.8%	26.2%	24.3%	26.3%	24.1%
	Adults who smoke (2006-8)	20.2%	20.4%	22.2%	19.2%	20.5%	17.7%	22.1%
	Binge drinking adults (2006-8)	19.2%	20.3%	19.2%	18.9%	20.0%	15.5%	20.0%
	Health eating adults (2006-8)	29.7%	29.8%	27.2%	30.5%	30.3%	31.3%	28.7%
Disease and Poor Health	Emergency hospital admissions for all causes (SAR, 2005/6 - 2009/10)	89.8%	84.3%	90.2%	88.7%	98.4%	84.7%	100%
	Elective hospital admissions for all causes (SAR, 2005/6 - 2009/10)	96.4%	85.9%	97.9%	102.0%	99.1%	90.2%	100%
	Emergency hospital admissions for CHD (SAR, 2005/6 - 2009/10)	74.4%	74.8%	77.6%	76.2%	72.4%	64.4%	100%
	Elective hospital admissions for CHD (SAR, 2005/6 - 2009/10)	90.8%	70.8%	89.2%	108.4%	92.8%	72.8%	100%
	Emergency hospital admissions for COPD (SAR, 2005/6 - 2009/10)	64.8%	65.9%	68.7%	69.0%	60.6%	49.0%	100%
	Emergency hospital admissions for hip replacement (SAR, 2005/6 - 2009/10)	94.6%	100.4%	92.6%	98.6%	94.4%	75.4%	100%
Mortality and Causes of death	All causes, under 75 years (SMR, 2005-9)	83.4%	81.1%	90.4%	78.1%	85.9%	84.0%	100%
	All cancer, under 75 years (SMR, 2005-9)	87.3%	88.2%	94.7%	82.7%	84.2%	90.1%	100%
	Circulatory disease, under 75 years (SMR, 2005-9)	76.7%	73.1%	85.6%	72.3%	78.5%	74.5%	100%
	Coronary heart disease, under 75 years (SMR, 2005-9)	72.8%	62.9%	88.6%	65.8%	78.9%	67.4%	100%
	Stroke, all ages (SMR, 2005-9)	97.9%	103.5%	94.9%	96.2%	106.9%	79.7%	100%
	Respiratory diseases, all ages (SMR, 2005-9)	80.3%	84.4%	80.3%	79.5%	84.3%	66.3%	100%

APHO General Practice Profiles

[link to Contents](#)

(Blue = significantly different to England, Yellow = Not significantly different to England, White = significance not assessed)

Theme	Indicator Name	Somerset	England Minimum	England average	England Maximum
Cardiovascular disease - Coronary heart disease	CHD 2: Angina referred for exercise testing &/or assessment.	95.7%	0.0%	94.7%	100.0%
	CHD 5: Record of BP in the previous 15mths	97.9%	64.0%	97.7%	100.0%
	CHD 6: Last BP reading in last 15mths is <=150/90	89.5%	0.0%	89.8%	100.0%
	CHD 7: Record of total cholesterol in last 15mths	94.5%	45.8%	93.7%	100.0%
	CHD 8: Last total cholesterol is <=5mmol/l	83.4%	31.0%	82.1%	100.0%
	CHD 9: Record that aspirin, APT or ACT is taken	93.8%	0.0%	93.9%	100.0%
	CHD 10: Currently treated with beta blocker	74.1%	28.6%	73.7%	100.0%
	CHD 11: History of MI: treated with ACE-I	88.0%	0.0%	89.1%	100.0%
	CHD 12: Influenza immunisation given 1 Sep - 31 Mar	93.3%	0.0%	91.9%	100.0%
	CHD: QOF prevalence (all ages)	3.9%	0.0%	3.4%	9.8%
	Exception rate for CHD indicators	7.3%	0.0%	7.7%	50.0%
	Ratio of recorded vs expected CHD prevalence	0.78	0	0.8	2.75
	CHD Emergency Admission Rate	2.4	0	2.5	13.9
	CHD Elective Admission Rate	2.5	0	1.8	10
	Heart failure w LVD: QOF prevalence	0.5%	0.0%	0.4%	2.4%
	Cardiovascular disease - Heart failure and atrial fibrillation	HF 2: Diagnosis conf. by ECG/specialist assessment.	95.8%	0.0%	95.9%
HF 3: HF w LVD: treated with ACE-I or ARB		88.5%	0.0%	95.9%	100.0%
Heart failure: QOF prevalence (all ages)		0.8%	0.0%	0.7%	3.8%
Exception rate for heart failure indicators		20.1%	0.0%	17.2%	100.0%
AF 3: treated w anti- coag./platelet therapy		93.8%	0.0%	93.6%	100.0%
Atrial fibrillation: QOF prevalence		1.9%	0.0%	1.4%	5.0%
Exception rate for atrial fibrillation indicators		3.4%	0.0%	4.1%	66.7%
AF 4: diagnosed with ECG or by specialist		96.0%	0.0%	96.5%	100.0%
Heart failure w LVD: QOF prevalence		0.5%	0.0%	0.4%	2.4%
HF 4: HF w LVD: ACE inh. or ARB and beta-blocker		78.6%	0.0%	82.4%	100.0%
Cardiovascular disease - Risk factors for CVD	Obesity: QOF prevalence (16+)	10.9%	0.5%	10.5%	29.7%
	Exception rate for smoking indicators	0.7%	0.0%	0.7%	13.7%
	BP 4: Record of BP in last 9mths	92.3%	45.3%	91.5%	100.0%
	BP 5: Last (9mths) blood pressure <=150/90	78.9%	39.7%	78.7%	100.0%
	Hypertension: QOF prevalence (all ages)	15.7%	0.1%	13.4%	36.7%
	Exception rate for hypertension indicators	5.9%	0.0%	4.9%	51.9%
	Dep 1: Depression case finding in CHD&/diabetes pats	89.8%	0.0%	88.3%	100.0%
	Smoking 3: status recorded in last 15mths	95.4%	58.4%	95.2%	100.0%
	Smoking 4: cessation advice/referral offered	93.3%	6.7%	92.8%	100.0%
	PP 1: CV risk assessment for new hypertension cases	85.0%	0.0%	81.7%	100.0%

Theme	Indicator Name	Somerset	England Minimum	England average	England Maximum
Risk factors for CVD ... (continued)	PP 2: life style advice for new hypertension cases	85.3%	0.0%	84.5%	100.0%
Cardiovascular disease - Stroke and TIA	Stroke 5: BP recorded in last 15mths	97.4%	0.0%	96.8%	100.0%
	Stroke 6: Last BP reading is 150/90 or less	88.4%	50.0%	88.1%	100.0%
	Stroke 7: Total cholesterol recorded in last 15mths	92.9%	0.0%	91.4%	100.0%
	Stroke 8: Last measured total cholesterol <=5mmol/l	79.8%	0.0%	77.3%	100.0%
	Stroke 10: Influenza immunisation given 1 Sep-31 Mar	90.4%	0.0%	89.0%	100.0%
	Stroke 12: Record of aspirin, APT or ACT taken	94.1%	0.0%	94.1%	100.0%
	Stroke: QOF prevalence (all ages)	2.2%	0.0%	1.7%	6.0%
	Exception rate for stroke indicators	7.0%	0.0%	7.1%	100.0%
	Stroke 13: New patients referred for further investigation	91.5%	0.0%	90.2%	100.0%
Demography and patient satisfaction	% aged under 15 years	16.4%	0.0%	17.1%	42.6%
	% aged 65+ years	20.5%	0.0%	15.8%	45.2%
	Deprivation score (IMD 2007)	15.9	2.6	21.7	68.9
	IDACI (Income Deprivation Affecting Children)		0.03	0.24	0.80
	IDAOP (Income Deprivation Affecting Older People)		0.05	0.22	0.74
	% satisfied with phone access	66.2%	12.1%	64.7%	96.2%
	% able to see a doctor within 2 days	87.3%	0.0%	80.1%	100.0%
	% able to book appointment >= 2d ahead	70.7%	0.0%	69.5%	100.0%
	% satisfied with opening hours	80.8%	43.5%	79.4%	100.0%
	% able to see preferred GP	77.7%	0.0%	71.4%	100.0%
	% aged 0 to 4 years	5.1%	0.0%	5.9%	16.9%
	% aged 5 to 14 years	11.2%	0.0%	11.2%	28.9%
	% aged 75+ years	10.0%	0.0%	7.5%	26.5%
	% aged 85+ years	3.0%	0.0%	2.1%	12.0%
Diabetes	Obesity: QOF prevalence (16+)	10.9%	0.5%	10.5%	29.7%
	Exception rate for smoking indicators	0.7%	0.0%	0.7%	13.7%
	BP 4: Record of BP in last 9mths	92.3%	45.3%	91.5%	100.0%
	BP 5: Last (9mths) blood pressure <=150/90	78.9%	39.7%	78.7%	100.0%
	Hypertension: QOF prevalence (all ages)	15.7%	0.1%	13.4%	36.7%
	Exception rate for hypertension indicators	5.9%	0.0%	4.9%	51.9%
	DM 2: Record of BMI in the last 15mths	95.6%	52.9%	94.7%	100.0%
	DM 5: Record of HbA1c/equivalent last 15mths	98.4%	57.9%	97.2%	100.0%
	DM 9: Record of peripheral pulses last 15mths	92.9%	11.3%	91.1%	100.0%
	DM 10: Record of neuropathy test last 15mths	92.8%	17.0%	90.8%	100.0%
	DM 11: Record of BP in last 15mths	98.9%	78.0%	98.3%	100.0%
	DM 12: Last BP is <=145/85	80.5%	41.9%	80.6%	100.0%
	DM 13: Record of micro-albuminuria test last 15mths	90.7%	1.0%	88.5%	100.0%
	DM 15: Proteinuria/micro-album. treated w inhibitors	89.2%	0.0%	88.8%	100.0%

Theme	Indicator Name	Somerset	England Minimum	England average	England Maximum
Diabetes ...(continued)	DM 16: Record of total cholesterol last 15mths	97.6%	60.8%	96.0%	100.0%
	DM 17: Measured total chol (last 15mths) <=5mmol/l	86.2%	46.2%	83.0%	100.0%
	DM 18: Influenza immunisation given 1 Sep - 31 Mar	92.2%	15.1%	90.4%	100.0%
	DM 21: Retinal screening in last 15mths	93.5%	3.4%	90.9%	100.0%
	DM 22: eGRF or serum creatinin testing in last 15mths	98.5%	55.1%	97.0%	100.0%
	Diabetes: QOF prevalence (17+)	5.4%	0.2%	5.4%	14.3%
	Exception rate for diabetes indicators	7.0%	0.1%	6.4%	36.6%
	Dep 1: Depression case finding in CHD&/diabetes pats	89.8%	0.0%	88.3%	100.0%
	Ratio of recorded vs expected diabetes prevalence	0.8	0.2	0.9	5.8
	Diabetes admission rate	1.2	0.0	1.1	10.9
	Smoking 3: status recorded in last 15mths	95.4%	58.4%	95.2%	100.0%
	Smoking 4: cessation advice/referral offered	93.3%	6.7%	92.8%	100.0%
	DM 24: Last HbA1c is <=8 in last 15mths	76.2%	9.3%	77.4%	100.0%
	DM 25: Last HbA1c is <=9 in last 15mths	88.3%	9.3%	88.0%	100.0%
	DM 23: Last HbA1c is <=7 in last 15mths	50.3%	0.0%	53.8%	100.0%
Mental health	Learning disability: QOF prevalence (18+)	0.5%	0.0%	0.4%	6.0%
	Dep 1: Depression case finding in CHD&/diabetes pats	89.8%	0.0%	88.3%	100.0%
	Dep 2: Depression cases with severity assessment	93.6%	0.0%	91.8%	100.0%
	Exception rate for depression indicators	5.5%	0.0%	6.0%	64.3%
	Dem 2: Dementia care has been reviewed last 15mths	81.6%	0.0%	79.3%	100.0%
	Dementia: QOF prevalence (all ages)	0.5%	0.0%	0.5%	8.7%
	Exception rate for dementia indicators	5.3%	0.0%	7.1%	100.0%
	MH 4: Li-therapy: record of s.creat. & TSH last 15mths	97.9%	0.0%	97.6%	100.0%
	MH 5: Lithium therapy: record of Li-levels last 6mths	93.0%	0.0%	91.2%	100.0%
	MH 6: with comprehensive care plan	88.5%	0.0%	88.9%	100.0%
	MH 7: Psychoses pat. who dna AR: followed up within 14d	97.3%	0.0%	93.9%	100.0%
	MH 9: full review in last 15mths	94.3%	0.0%	92.2%	100.0%
	Psychoses: QOF prevalence (all ages)	0.7%	0.0%	0.8%	30.5%
	Exception rate for patients with psychoses indicators	12.8%	0.0%	10.8%	61.5%
	Depression: QOF prevalence (18+)	13.2%	0.0%	10.9%	47.5%
	Dep 3: 2 severity assessm. for new depression cases	75.8%	0.0%	70.1%	100.0%
	Other conditions	Thyroid 2: function test recorded last 15mths	96.4%	50.0%	95.8%
Hypothyroidism: QOF prevalence (all ages)		3.6%	0.0%	2.9%	7.9%
Exception rate for hypothyroidism indicators		0.5%	0.0%	0.5%	17.9%
Epilepsy 6: Record of seizure frequency		95.4%	0.0%	95.3%	100.0%
Epilepsy 7: Medication review w patient/carer last 15mths		95.8%	0.0%	95.0%	100.0%
Epilepsy 8: Seizure free for last 12mths		77.8%	0.0%	74.4%	100.0%
Epilepsy: QOF prevalence (18+)		0.8%	0.1%	0.8%	3.8%

Theme	Indicator Name	Somerset	England Minimum	England average	England Maximum
Other conditions...(continued)	Exception rate for epilepsy indicators	6.8%	0.0%	7.8%	66.7%
	CKD 2: Record of BP in last 15mths	97.8%	64.7%	97.6%	100.0%
	CKD 3: Last BP reading measured in last 15mths is <=140/85	74.4%	29.4%	73.9%	100.0%
	CKD: QOF prevalence (18+)	5.2%	0.0%	4.3%	19.8%
	Exception rate for CKD indicators	4.3%	0.0%	4.3%	100.0%
	Cancer 3: review within 6mths of diagnosis	93.9%	0.0%	93.1%	100.0%
	Cancer: QOF prevalence (all ages)	1.9%	0.0%	1.4%	3.9%
	Exception rate for cancer indicators	1.3%	0.0%	1.5%	100.0%
	Palliative/supportive care: QOF prevalence (all ages)	0.2%	0.0%	0.1%	2.3%
	Cancer admission rate	29.2	1.3	28.1	105.2
	CKD 5: Hypertension treated with ACE inhibitor/ARB	92.6%	0.0%	91.8%	100.0%
	CKD 6: Urine albumin : creatinine ratio test last 15mths	76.8%	0.0%	77.7%	100.0%
	Respiratory disease	Exception rate for smoking indicators	0.7%	0.0%	0.7%
COPD 8: Influenza immunisation given 1 Sep - 31 Mar		93.7%	0.0%	92.7%	100.0%
COPD 10: Record of FeV1 in last 15mths		90.6%	0.0%	88.5%	100.0%
COPD: QOF prevalence (all ages)		1.7%	0.0%	1.6%	7.3%
Exception rate for COPD indicators		10.3%	0.0%	12.6%	100.0%
Asthma 3: smoking recorded in last 15 mths (14-19y)		87.8%	33.3%	89.0%	100.0%
Asthma 6: review in the last 15mths		78.1%	0.0%	78.0%	100.0%
Asthma 8: with measures of variability/reversibility (8+)		88.7%	0.0%	87.6%	100.0%
Asthma: QOF prevalence (all ages)		6.4%	1.1%	5.9%	13.2%
Exception rate for asthma indicators		5.5%	0.0%	5.2%	51.7%
COPD admission rate		1.7	0	2	17.2
COPD 12: Diagnosis conf. by spirometry in last 15mths		90.7%	0.0%	90.3%	100.0%
Smoking 3: status recorded in last 15mths		95.4%	58.4%	95.2%	100.0%
Smoking 4: cessation advice/referral offered		93.3%	6.7%	92.8%	100.0%
COPD 13: assessed using MRC dyspnoea score last 15mths		92.7%	0.0%	89.9%	100.0%
Secondary Care Use	Emergency Admission Rate	83.3	10.7	86.7	267.4
	Elective Admission Rate	126.3	10.5	120.6	354.4
	Ambulatory Care Sensitive Conditions Rate	12.82	1.5	14.46	60.98
	CHD Emergency Admission Rate	2.4	0	2.5	13.9
	CHD Elective Admission Rate	2.5	0	1.8	10
	Diabetes admission rate	1.2	0	1.1	10.9
	COPD admission rate	1.7	0	2	17.2
	Cancer admission rate	29.2	1.3	28.1	105.2
	All admissions - All ages	239.6	26.5	231.6	503
	All admissions - A&E	9.1	0	9.6	84.5
	All admissions - CHD	5.3	0	4.7	25.9

Theme	Indicator Name	Somerset	England Minimum	England average	England Maximum
Secondary Care Use...(continued)	All admissions - Respiratory	14	1.2	16	51.7
	All attendances	692.7	105.2	739.9	1581.5
	All GP referrals (1st attendance)	197.1	34	186.8	615
	Dermatology, GP referrals (1st attendance)	15.1	0	13.7	71.8
	General Medicine, GP referrals (1st attendance)	9.5	0	10.9	81.3
	General Medicine - return ratio	2.6	0.5	2.7	31
	General Surgery, GP referrals (1st attendance)	24	1.9	23.1	70.8
	General Surgery - return ratio	0.9	0.3	1.5	5.1
	Gynaecology, GP referrals (1st attendance)	16.7	2.2	17.1	56.4
	Gynaecology - return ratio	0.8	0.2	1.3	8.5
	Orthopaedics, GP referrals (1st attendance)	30	0	20.2	81.4
	Orthopaedics - return ratio	1.4	0.7	1.8	5
	Paediatrics, GP referrals (1st attendance)	5.7	0	5.7	34.6
	Urology, GP Referrals (first attendance)	10.5	0	7.9	29.7
	Urology - return ratio	1.7	0.3	2.1	20.5
	Emergency readmissions within 28d of discharge	7.0%	0.0%	7.7%	31.3%
	A&E attendances per 1000 population	248.9	8.6	372.8	1190.8

LHO Basket of indicators

[link to Contents](#)

	Indicator Name	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	England Median
Emergency Admissions	DSR of emergency admissions per 100,000 population, persons, all ages, 2008 Q1	8552.3	11093.6	10493.6	11983.5	8966.0	7601.2
	DSR of emergency admissions per 100,000 population, persons, all ages, 2008 Q2	8106.7	8797.0	7394.0	9428.3	8399.0	
	DSR of emergency admissions per 100,000 population, persons, all ages, 2008 Q3	7408.8	6968.0	7405.2	8537.5	7248.4	
	DSR of emergency admissions per 100,000 population, persons, all ages, 2008 Q4	6664.3	6523.8	7066.2	7601.0	7185.4	
	DSR of emergency admissions per 100,000 population, persons, all ages, 2008 Q5	5962.6	6728.8	6653.4	6974.4	7700.3	
Low birth weight births	Percentage of low birth weight births, 2006-08, Q1	6.1	7.8	6.8	6.3	8.0	6.7
	Percentage of low birth weight births, 2006-08, Q2	6.9	7.4	7.3	6.8	6.0	
	Percentage of low birth weight births, 2006-08, Q3	3.8	6.2	5.6	6.3	4.6	
	Percentage of low birth weight births, 2006-08, Q4	4.8	5.2	6.8	4.8	6.8	
	Percentage of low birth weight births, 2006-08, Q5	7.0	6.0	5.8	6.8	6.5	
Mortality from cancer	Mortality (DSR) from all cancer per 100,000 population, persons under 75 years, 2004-08 Q1	123.0	132.7	113.2	136.8	151.4	109.7
	Mortality (DSR) from all cancer per 100,000 population, persons under 75 years, 2004-08 Q2	107.9	123.9	111.3	96.4	96.3	
	Mortality (DSR) from all cancer per 100,000 population, persons under 75 years, 2004-08 Q3	98.2	90.1	89.9	88.9	99.6	
	Mortality (DSR) from all cancer per 100,000 population, persons under 75 years, 2004-08 Q4	92.4	96.7	88.6	91.9	121.0	
	Mortality (DSR) from all cancer per 100,000 population, persons under 75 years, 2004-08 Q5	102.6	103.9	96.1	95.2	79.2	
Mortality from all circulatory diseases	Mortality (DSR) from all circulatory diseases per 100,000 population, persons under 75 years, 2004-08 Q1	90.2	103.3	76.6	105.9	57.1	69.6
	Mortality (DSR) from all circulatory diseases per 100,000 population, persons under 75 years, 2004-08 Q2	54.0	77.2	54.9	63.9	60.1	
	Mortality (DSR) from all circulatory diseases per 100,000 population, persons under 75 years, 2004-08 Q3	59.7	62.2	51.0	56.8	58.7	
	Mortality (DSR) from all circulatory diseases per 100,000 population, persons under 75 years, 2004-08 Q4	53.6	58.4	53.9	50.8	46.8	
	Mortality (DSR) from all circulatory diseases per 100,000 population, persons under 75 years, 2004-08 Q5	54.1	44.9	50.8	39.6	47.7	
Mortality from lung cancer	Mortality (DSR) from lung cancer per 100,000 population, persons under 75 years, 2004-08 Q1	26.6	31.3	28.6	34.0	30.5	22.6
	Mortality (DSR) from lung cancer per 100,000 population, persons under 75 years, 2004-08 Q2	19.8	27.0	16.4	16.1	20.3	
	Mortality (DSR) from lung cancer per 100,000 population, persons under 75 years, 2004-08 Q3	15.8	14.3	15.3	16.9	22.6	
	Mortality (DSR) from lung cancer per 100,000 population, persons under 75 years, 2004-08 Q4	11.7	17.6	11.5	14.4	20.3	
	Mortality (DSR) from lung cancer per 100,000 population, persons under 75 years, 2004-08 Q5	15.3	17.7	14.0	13.2	18.0	

Marmot indicators of inequalities

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = not significantly different to England, White = significance not assessed)

Indicator Name	Somerset	South West	England
Male life expectancy	79.4	79.2	78.25
Female life expectancy	83.5	83.3	82.31
Male inequality in life expectancy (years)	5.6	6.6	8.8
Female inequality in life expectancy (years)	2.7	4.9	5.9
Male inequality in disability-free life expectancy (years)	7.2	8.3	10.9
Female inequality in disability-free life expectancy (years)	6.2	6.2	9.2
Children achieving a good level of development at age 5	54.7	56.9	55.7
Young people aged 16-19 who are not in employment, education or training (NEET)	5.1	6.1	7.0
People in households in receipt of selected means-tested benefits	11.5	12.2	15.5
Inequality in percentage of people in households in receipt of selected means-tested benefits	19.4	21.2	30.6

ChiMat Demographic profiles

[link to Contents](#)

Indicator	Somerset	South West	England
Age break down - % of population aged 19 and under	23.7%	22.9%	24.0%
Age break down - % of population aged 20-64	55.8%	58.0%	59.9%
Age break down - % of population aged 65 and over	20.5%	19.0%	16.1%
Percentage change from 2010 to 2020, ages 0-4	1.1%	6.0%	4.1%
Percentage change from 2010 to 2020, ages 5-9	7.9%	13.0%	14.0%
Percentage change from 2010 to 2020, ages 10-14	1.9%	6.1%	9.4%
Percentage change from 2010 to 2020, ages 15-19	-13.3%	-9.8%	-9.2%
Fertile female population (females aged 15-44)	33.8%	36.7%	40.3%
General fertility rate per 1,000	61.5	-	63.9
Infant mortality (rate per 1,000 live births) - 2003-2005	4.2	4.4	5.1
Infant mortality (rate per 1,000 live births) - 2004-2006	4.3	4.4	5
Infant mortality (rate per 1,000 live births) - 2005-2007	4.2	4.2	4.9
Infant mortality (rate per 1,000 live births) - 2006-2008	4.1	4.1	4.8
Infant mortality (rate per 1,000 live births) - 2007-2009	4.2	4.03	4.7
All cause mortality in children aged 1-4 years (2003-2007)	18.2	31.1	55.8
All cause mortality in children aged 5-14 years (2003-2007)	18	18.4	25.8
All cause mortality in children aged 15-19 years (2003-2007)	39.6	54.3	72.6

ChiMat Child Health profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed)

Theme	Indicator Name	Somerset	England Worst	England average	England Best
Be healthy	Infant mortality rate	4.2	8.5	4.7	2.2
	Child mortality rate (age 1-17 years)	14.2	30	16.9	10.7
	Breastfeeding initiation	80.7	35.7	74.6	95.9
	Obese children (age 4-5 years)	9.7	14.7	9.8	5.5
	Obese children (age 10-11 years)	15.7	28.6	18.7	12.1
	Participation in at least 3 hours of sport/PE	51.4	25	49.6	79.1
	Decayed, missing or filled teeth (age 5 years)	1.2	2.5	1.1	0.5
	Children who have someone to talk to	63	56	64	74
	Teenage conception rate (age <18 years)	34.1	74.5	41	15.4
	Under 18 conceptions ending in abortion	46.8	74.6	49.7	35.3
Stay safe	Pupils who say that they have been bullied	22	38	23	15
	Hospital admission rate due to injury (age <18 years)	1414	2351.9	1443.2	901.8
	MMR immunisation (by age 2 years)	88	73	88.2	96.7
	Children in care immunisations	71	0	83.9	100
	Percentage change in children killed/seriously injured in RTA	-5.4	72.2	6.4	-100
Enjoy and achieve	Primary school exclusions	2.0%	10.0%	2.0%	0.0%
	Secondary school exclusions	19.0%	60.0%	17.0%	0.0%
	Children working securely at foundation stage	51	36	51	79
	GCSE pass rate (5A*-C)	68.2	62.3	74.8	92.1
	GCSE pass rate (5A*-C)	64.1	57.8	70.8	92.6
	GCSE pass rate (5A*-C)	72.5	65.7	79	91.6
	GCSE pass rate (5A*-C)		0	26.1	77.8
Making a positive contribution	Hospital admissions due to alcohol specific conditions (< 18 years)	72	168.6	64.5	14.3
	Hospital admissions due to substance misuse (age 15-24 years)	86.8	175.5	62.8	21.3
	Children and young people using drugs	5	13	4	0
	Children and young people using alcohol	19	23	15	3
	First time entrants to the Youth Justice System	1080	2990	1472	270
	Reoffending rates	1.3	2.1	1.1	0.4
	Participation in positive activities	70.6	48.6	65.8	80.4
	Not in education, employment or training (age 16-18 years)	4.4	11.9	6.4	1.8
AEWB	Rate of family homelessness	1.5	7.3	1.9	0.1
	Percentage of children living in poverty (age <16 years)	14.8	55.3	21.6	7.1

Infant mortality profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed)

Indicator	Somerset	South West	England	England Worst	England Best
Infant mortality rate	4.2	4	4.71	8.5	2.2
Children living in poverty	16.22	-	22.44	66.5	10.2
Index of Multiple Deprivation	15.9	-	23.73	48.3	8.1
Child Wellbeing Index	119.97	-	168.68	358.8	69.4
Overcrowded households, %	3.86	-	7.13	29.8	2.7
BME population, %	5.91	8	16.35	68.4	3.6
Teenage conception rate (age <18 years)	33.3	34.4	41.2	79.1	21.1
Change in teenage conception rate, %	-6.39	-0.9	1.2	-12.7	17.8
Smoking in Pregnancy, %	17.6	13.4	13.5	32.5	1.9
Breastfeeding Initiation, %	77.7	76.9	73.43	38.4	92.7
Low birth weight (<2500g), %	6.5	6.5	7.5	11.2	4.9
Antenatal assessment by 12 weeks, %	89.9	86.8	84.2	34.6	100
Completed MMR (by age 2 years), %	88	89.3	88.2	-	-
Completed Diphtheria, Tetanus, Polio, Pertussis, Hib (by age 2 years), %	96.3	96.6	95.3	-	-
Completed MenC immunisation (by age 2 years), %	94.22	96	94.2	79.8	99.1
Completed Diphtheria, Tetanus, Polio, Pertussis, Hib (by age 1 year), %	93.59	95.1	93.6	81.2	98.3
Completed MenC immunisation course by 1st birthday (%)	93.5	94.7	92.7	-	-
Completed Pneumococcal conjugate vaccine (by age 1 year), %	94.1	95	92.9	73.4	97.8

Breast feeding profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed)

Indicator	Somerset	South West	England	England Worst	England Best
Index of Multiple Deprivation	15.9	-	24.73	48.4	8.1
Number of births, per year	5614	-	4092	14735	1172
Projected number of births, per year	5900	-	4803	500	19100
Caesarean section rate, %	24.5	23.1	24.06	34.8	14.6
Deliveries to older mothers (aged 35+ years)	20.55	21.1	19.97	40.5	10.2
Deliveries to teenage mothers (aged < 20 years)	9.99	9.1	9.21	19.3	2.5
Breastfeeding Initiation, %	77.67	76.9	73.43	38.4	92.7
Totally or partially breastfed (age 6/8 weeks),%	44.81	47.4	45.22	19.4	84.7
Baby ever put to breast, %	86	-	79.1	53	94.6
Infant mortality rate	4.1	4.1	4.8	9	2.1
Hospital admission rate for gastroenteritis (age < 1 year)	223.21	234.8	254.18	720.8	13.9
Hospital admission rate for gastroenteritis (age 1 year)	155.96	208.6	218.21	573.3	21.5
Hospital admission rate for gastroenteritis (age 2 - 4 years)	44.04	56.9	55.95	165.9	7.2
Hospital admission rate for gastroenteritis (age 0 - 4 years)	102.92	124.2	130.15	343.5	11.5
Hospital admission rate for respiratory tract infections (age < 1 year)	457.14	419.5	399.81	829.4	42.5
Hospital admission rate for respiratory tract infections (age 1 year)	66.06	86.1	76.86	234.9	13.4
Hospital admission rate for respiratory tract infections (age 2 - 4 years)	27.52	27.6	25.18	65.8	3.6
Hospital admission rate for respiratory tract infections (age 0 - 4 years)	122.99	121.4	115.26	239.4	16

Healthy Schools profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed)

Indicator	Somerset	South West	England	England Worst	England Best
Participating in 3 hours additional sport, %	51.4	52.4	49.6	25	79.1
Teenage conception rate (age <18 years)	34.1	34.7	41	74.5	15.4
Chlamydia infection rate (age 15 - 25 years), %	8.8	-	7.3	12.9	3.5
Overweight children (age 4-5 years), %	13.9	14	13.3	17.8	9.1
Overweight children (age 10-11 years), %	13.7	14.3	14.6	17.3	11.9
Obese children (aged 4-5), %	9.7	9.2	9.8	14.7	5.5
Obese children (aged 10-11), %	15.7	16.1	18.7	28.6	12.1
Pupils who say they smoke, %	7	-	5	11	0
Pupils who say they drink alcohol, %	19	17.5	15	23	0
Pupils who say they have taken illegal drugs, %	5	4.7	4	13	0
Pupils who say they need more/ better information and advice on sex and relationships, %	32	-	37	50	23
Emotional health of children	55.2	56.2	56	44	63
Pupils who say their school deals poorly with bullying, %	42	-	44	61	14
Rate of death or serious injury from road traffic accidents (age < 16 years)	-5.4	6.1	6.4	72.2	-100
Pupils who say they have been bullied, %	22	22	23	38	15
Participation in positive activities, %	70.6	68.1	65.8	48.6	80.4
First time entrants to the Youth Justice System, %	1080	1290	1472	2990	270
Not in education, employment or training (age 16-18 years), %	4.4	5.6	6.6	11.8	0.6
Children living in poverty	14.8	16.5	21.6	55.3	7.1

Older people's profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed)

Theme	Indicator	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England average
Morbidity data - DSR per 100,000 aged 65 or over	All Admissions - Persons	53255	50585	54835	54899	54898	48130	53256	54149
	All Admissions - Males	58671	54923	59782	60056	62344	53926	59027	60255
	All Admissions - Females	47839	46246	49887	49742	47453	42334	47484	48043
	Emergency Admissions - Persons	19000	19008	20222	18368	20106	17079	18124	20936
	Emergency Admissions - Males	20705	20212	22193	19948	22272	18649	19902	22892
	Emergency Admissions - Females	17294	17805	18250	16789	17940	15508	16346	18980
	All Stroke - Persons	907.8	953.1	1062.6	752.5	979.3	912.3	825.7	760
	All Stroke - Males	1001.8	1094.5	1191.4	757.2	1129.6	1002.4	929.8	864
	All Stroke - Females	813.8	811.6	933.8	747.8	829.0	822.2	721.6	655
	Returning to usual place of residence following hospital treatment for Stroke - Persons	269.2	299.7	342.1	179.2	319.4	259.2	235.3	224
	Returning to usual place of residence following hospital treatment for Stroke - Males	298.6	361.0	376.7	179.9	356.1	291.6	285.9	276
	Returning to usual place of residence following hospital treatment for Stroke - Females	239.9	238.4	307.6	178.5	282.7	226.7	184.6	172
	All Falls Accidents - Persons	3984.3	1986.2	1226.7	1439.6	1392.9	1145.7	1472.4	1495
	All Falls Accidents - Males	1034.1	1411.4	926.7	987.3	1070.2	640.3	1079.1	1117
	All Falls Accidents - Females	6934.6	2560.9	1526.7	1891.8	1715.6	1651.1	1865.8	1873
	Hip Fracture - Persons	618.9	726.4	607.1	506.7	757.9	552.2	588.7	503
	Hip Fracture - Males	409.0	463.2	470.9	295.3	570.4	238.8	413.9	348
	Hip Fracture - Females	828.8	989.5	743.4	718.0	945.5	865.6	763.6	657
	Returning to usual place of residence following hospital treatment for Hip Fracture - Persons	274.6	340.7	253.8	241.9	311.7	236.9	234.7	207
	Returning to usual place of residence following hospital treatment for Hip Fracture - Males	190.3	197.9	213.3	143.3	263.3	147.9	152.1	130
	Returning to usual place of residence following hospital treatment for Hip Fracture - Females	359.0	483.6	294.3	340.6	360.1	325.8	317.3	283
	Coronary Artery Bypass Graft (CABG) - Persons	240.6	214.9	178.1	239.7	213.1	264.3	168.1	153
	Coronary Artery Bypass Graft (CABG) - Males	350.1	328.8	265.7	397.5	345.9	443.3	273.2	242
	Coronary Artery Bypass Graft (CABG) - Females	131.0	100.9	90.6	81.8	80.3	85.3	63.0	63
Percutaneous Transluminal Coronary Angioplasty (PTCA) - Persons	253.7	280.0	311.3	247.8	178.5	248.5	294.4	327	
Percutaneous Transluminal Coronary Angioplasty (PTCA) - Females	365.9	435.4	409.3	384.9	251.8	292.8	428.6	470	
Percutaneous Transluminal Coronary Angioplasty (PTCA) - Males	141.5	124.5	213.3	110.6	105.2	204.1	160.1	185	
Cataract Operations - Persons	3472.9	3925.2	3454.4	3784.7	2904.7	2910.2	3013.9	3078	

Theme	Indicator	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England average
Morbidity data - DSR per 100,000 aged 65 or over...(continued)	Cataract Operations - Males	3211.0	3562.1	3299.7	3317.5	2799.2	2938.2	2759.0	2862
	Cataract Operations - Females	3734.9	4288.4	3609.1	4251.9	3010.3	2882.2	3268.7	3295
	Diabetic Amputation - Persons	12.1	5.9	10.0	6.1	3.2	63.4	10.7	8
	Diabetic Amputation - Males	16.5	11.9	10.9	7.4	6.5	84.9	18.0	14
	Diabetic Amputation - Females	7.7	0.0	9.1	4.9	0.0	42.0	3.4	3
	Primary Knee Replacement Operations - Persons	575.5	697.5	529.2	621.9	504.8	446.3	610.1	578
	Primary Knee Replacement Operations - Males	532.6	718.0	502.0	531.1	451.1	428.2	550.7	538
	Primary Knee Replacement Operations - Females	618.4	677.1	556.4	712.8	558.5	464.4	669.4	618
	Primary Total Hip Replacement - Persons	680.6	843.2	628.4	778.2	494.7	568.2	668.8	529
	Primary Total Hip Replacement - Males	533.1	585.9	439.7	634.0	424.6	538.2	530.9	406
	Primary Total Hip Replacement - Females	828.1	1100.4	817.1	922.4	564.8	598.2	806.7	651
	Revision Hip Replacement - Persons	138.6	185.1	166.3	120.1	109.3	115.4	139.6	117
	Revision Hip Replacement - Males	117.5	178.1	151.6	83.3	61.7	146.5	111.2	99
Revision Hip Replacement - Females	159.8	192.1	180.9	156.9	156.8	84.2	168.1	135	
Mortality - DSR per 100,000 aged 65 or over	All Cause All Deaths - Persons	3512.1	3363.4	3990.7	3396.1	3725.3	2983.1	3568.7	3875
	All Cause All Deaths - Males	4080.2	3874.8	4841.6	3880.0	4252.3	3401.7	4115.7	4435
	All Cause All Deaths - Females	2944.0	2851.9	3139.8	2912.3	3198.2	2564.5	3021.7	3316
	All Cancers - Persons	969.3	935.0	1071.1	961.1	930.4	934.6	1032.3	1100
	All Cancers - Males	1238.5	1214.5	1335.7	1219.5	1195.6	1214.5	1270.5	1344
	All Cancers - Females	700.0	655.5	806.6	702.7	665.3	654.7	794.1	856
	All Circulatory - Persons	1230.9	1154.7	1463.6	1195.5	1315.9	952.4	1243.1	1336
	All Circulatory - Males	1460.3	1342.6	1855.5	1390.3	1549.9	1021.3	1448.4	1560
	All Circulatory - Females	1001.5	966.7	1071.6	1000.8	1081.9	883.6	1037.8	1112
	Respiratory - Persons	489.7	506.0	612.3	458.3	475.9	386.9	494.2	591
	Respiratory - Males	559.4	605.0	729.0	526.3	516.5	381.1	582.2	680
	Respiratory - Females	419.9	407.0	495.6	390.2	435.2	392.7	406.2	502
	Coronary Heart Disease (CHD) - Persons	544.4	493.8	665.9	537.0	565.0	409.8	571.1	627
	Coronary Heart Disease (CHD) - Males	734.6	715.1	887.1	741.8	746.6	441.2	748.7	814
	Coronary Heart Disease (CHD) - Females	354.3	272.5	444.7	332.2	383.4	378.3	393.5	440
	Stroke - Persons	388.2	389.3	445.5	367.6	412.5	314.7	362.9	359
	Stroke - Males	397.4	334.5	541.5	355.7	402.7	362.7	363.2	365
	Stroke - Females	379.0	444.0	349.5	379.5	422.2	266.7	362.5	353
Chronic Obstructive Pulmonary Disease (COPD) - Persons	168.4	133.8	202.1	174.8	182.7	124.3	180.1	221	
Chronic Obstructive Pulmonary Disease (COPD) - Males	199.1	151.0	219.0	217.9	224.8	150.1	233.4	271	
Chronic Obstructive Pulmonary Disease (COPD) - Females	137.6	116.7	185.2	131.8	140.6	98.5	126.7	171	

Theme	Indicator	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England average
Life Expectancy	Males	18.6	18.8	18.1	18.8	18.3	19.2	18.4	18
	Females	21.4	21.4	21.2	21.5	20.9	22.7	21.2	20
	Healthy Life Expectancy - Males	-	13.6	13.1	13.8	13.5	14.7	13.6	13
	Healthy Life Expectancy - Females	-	15.7	15.8	15.9	15.8	16.6	15.6	15
	Disability Free Life Expectancy - Males	-	9.0	8.5	9.3	8.8	9.6	8.9	8
	Disability Free Life Expectancy - Females	-	10.0	10.0	10.4	10.0	10.8	10.0	9
	Excess Winter Mortality Index - Persons	21.6	25.6	22.6	17.0	21.0	28.9	18.2	18
Demography	Proportions of over 65 years old - Persons	20.5	18.3	19.9	20.9	19.7	28.9	19.0	16
	Proportions of over 65 years old - Males	18.5	16.6	18.0	19.0	17.5	26.9	17.0	14
	Proportions of over 65 years old - Females	22.3	20.1	21.6	22.7	21.5	30.3	21.0	18
	Proportions of over 65 years old Ethnic Minorities - Persons	3.1	3.7	2.9	2.9	3.0	2.8	3.3	8
	Proportions of over 65 years old Ethnic Minorities - Males	2.9	3.5	3.0	2.7	2.8	2.6	3.2	8
	Proportions of over 65 years old Ethnic Minorities - Females	2.9	3.5	2.6	2.9	2.9	2.5	3.2	8
	Dependency Ratio (2008) - Persons	41.5	36.6	40.8	42.7	38.9	64.7	37.5	31
	Dependency Ratio (2031) projected from 2008 - Persons	44.4	44.3	47.8	52.0	44.0	79.5	37.8	31
	Proportions of over 65 year olds - Persons	24.0	21.7	23.7	24.5	22.9	33.6	24.1	19
Proportions of over 65 year olds - Persons	27.5	25.2	26.9	28.6	25.3	38.9	27.0	21	
Social Care	Care home places per 1000 population	60.6	-	-	-	-	-	59.7	56
	Older people helped to live at home per 1000 population	85.7	-	-	-	-	-	69.1	82
	Carers receiving carer's break	12.0	-	-	-	-	-	13.4	14
	Direct payments per 100,000 population aged 65 or over	196.4	-	-	-	-	-	185.6	260
	Permanent admission to residential or nursing home per 10 000 population, 65+	86.3	-	-	-	-	-	73.8	74
	Percentage of completed assessment for all residents, 65+	6.4	-	-	-	-	-	6.8	6
	Percentage of completed assessment for all ethnic residents, 65+	5.7	-	-	-	-	-	0.0	0
	Percentage of assessments leading to service provision	74.0	-	-	-	-	-	69.8	75
	Percentage of items of equipment and adaptation delivered within 7 working days	92.1	-	-	-	-	-	88.7	91
Delayed transfers of care per 100 000 population, 65+	17.5	-	-	-	-	-	23.1	27	
Ill health and access to healthcare	Registration of 65+ who are blind	12.9	-	-	-	-	-	18.6	14
	Registration of 65+ who are partially blind	10.0	-	-	-	-	-	18.4	15
	Registration of 65+ who are deaf	3.7	-	-	-	-	-	3.2	3
	Registration of 65+ who are hard of hearing	15.7	-	-	-	-	-	13.5	16

End of life care

[link to Contents](#)

(Red = significantly higher than England, Green = significantly lower than England, Yellow = no significant difference, White = significance not assessed. Note that there is no judgement made about whether higher/lower is better/worse.)

	Indicators	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
Summary percentage of deaths (UNDERLYING CAUSE)	Cancer: Persons All Ages	28.0	28.0	28.3	25.1	29.8	27.9	28.0	23.3	32.8
	Cardiovascular Disease: Persons All Ages	29.8	31.6	30.6	30.1	30.5	30.7	30.1	25.6	37.2
	Respiratory Disease: Persons All Ages	12.8	12.5	13.0	13.0	12.4	13.0	13.9	9.6	17.7
	Other Causes: Persons All Ages	29.4	27.9	28.2	31.8	27.3	28.4	28.0	20.9	33.2
Percentage of deaths from cancer (UNDERLYING CAUSE)	Males 0-64:Cancer	34.0	37.6	33.2	31.9	38.6	33.4	31.2	20.1	48.3
	Males 65-84:Cancer	38.4	37.2	35.9	34.3	37.2	36.3	35.5	30	42.3
	Males 85+:Cancer	22.0	17.6	22.8	18.1	24.9	20.4	19.9	9.7	32.2
	Females 0-64:Cancer	53.7	46.1	52.0	44.4	59.2	49.6	46.9	34.9	65.4
	Females 65-84:Cancer	32.0	31.6	35.9	31.0	36.0	34.1	32.9	25.4	42.1
	Females 85+:Cancer	11.4	13.0	12.6	11.7	13.8	12.8	12.8	8.1	17.3
	Persons 0-64:Cancer	41.9	40.9	40.8	36.9	47.5	39.8	37.4	25.9	50.3
	Persons 65-84:Cancer	35.5	34.7	35.9	32.7	36.7	35.3	34.3	29.6	41
Percentage of deaths from cardiovascular disease (UNDERLYING CAUSE)	Persons 85+:Cancer	14.9	14.8	16.3	13.9	17.7	15.5	15.2	12.2	19.8
	Males 0-64:Cardiovascular	22.3	19.2	21.0	26.2	17.8	22.0	23.1	11.2	31.4
	Males 65-84:Cardiovascular	29.9	32.9	32.3	27.2	32.7	30.9	31.2	25	39.1
	Males 85+:Cardiovascular	33.1	34.0	32.4	36.6	31.7	34.8	34.4	24.5	44.2
	Females 0-64:Cardiovascular	11.2	14.9	8.9	11.8	11.8	12.6	13.4	5.3	21
	Females 65-84:Cardiovascular	28.8	32.3	27.3	29.7	28.3	29.3	28.8	20.3	39.2
	Females 85+:Cardiovascular	35.5	37.1	37.3	33.6	36.2	36.4	36.0	27.9	51.2
	Persons 0-64:Cardiovascular	17.9	17.5	16.2	20.5	15.3	18.3	19.3	9.8	25.6
Percentage of deaths from respiratory disease (UNDERLYING CAUSE)	Persons 65-84:Cardiovascular	29.4	32.6	30.0	28.4	30.7	30.1	30.1	25.5	36.3
	Persons 85+:Cardiovascular	34.7	36.0	35.5	34.6	34.6	35.9	35.4	27.8	48.8
	Males 0-64:Respiratory	5.0	5.3	5.2	5.7	5.9	5.6	6.2	1.5	10.7
	Males 65-84:Respiratory	13.3	10.9	11.5	12.2	12.4	12.5	13.4	8.1	21
	Males 85+:Respiratory	16.9	19.7	18.4	15.9	14.0	17.4	19.4	10.9	29
	Females 0-64:Respiratory	5.9	4.7	5.3	4.8	4.0	5.9	7.1	1.2	14.7
	Females 65-84:Respiratory	9.9	12.7	11.8	14.1	13.1	12.2	13.9	6.7	19.5
	Females 85+:Respiratory	16.6	14.6	15.8	14.8	14.3	15.7	16.9	10.5	23.1
Persons 0-64:Respiratory	5.3	5.1	5.2	5.3	5.1	5.7	6.6	2	10.4	
Persons 65-84:Respiratory	11.7	11.7	11.6	13.1	12.7	12.4	13.7	8.6	19.1	
Persons 85+:Respiratory	16.7	16.5	16.7	15.2	14.2	16.3	17.7	12.5	24.4	

	Indicators	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
Percentage of deaths from other causes (UNDERLYING CAUSE)	Males 0-64:Other Causes	38.7	37.9	40.6	36.2	37.6	39.1	39.5	26.2	50.2
	Males 65-84:Other Causes	18.4	19.0	20.4	26.3	17.8	20.4	19.9	15	26.3
	Males 85+:Other Causes	28.0	28.7	26.4	29.4	29.4	27.3	26.4	17.2	37.9
	Females 0-64:Other Causes	29.3	34.4	33.7	39.0	25.0	32.0	32.6	17.8	48.2
	Females 65-84:Other Causes	29.3	23.5	25.0	25.2	22.6	24.4	24.4	18.4	33.9
	Females 85+:Other Causes	36.5	35.3	34.4	39.9	35.7	35.1	34.4	20.1	42.7
	Persons 0-64:Other Causes	34.9	36.5	37.9	37.3	32.2	36.3	36.8	25.4	46.9
	Persons 65-84:Other Causes	23.4	21.0	22.5	25.8	19.9	22.2	22.0	18.2	27
Persons 85+:Other Causes	33.8	32.8	31.5	36.3	33.5	32.36	31.6	20.1	39.3	
Summary percentage of deaths (ANY LISTED CAUSE)	Cancer: Persons All Ages	31.0	31.0	31.8	28.6	32.5	31.1	31.3	26.3	36.2
	Cardiovascular Disease: Persons All Ages	43.4	46.0	45.9	43.9	42.7	44.0	44.9	37.9	53.6
	Respiratory Disease: Persons All Ages	32.9	30.8	32.9	32.2	27.4	32.6	33.9	25.7	39.9
	Other Causes: Persons All Ages	15.8	15.1	14.6	16.4	16.9	15.3	14.6	9.5	19.7
Percentage of deaths from cancer (ANY LISTED CAUSE)	Males 0-64:Cancer	36.9	39.9	35.2	35.5	40.6	35.3	33.0	22.3	51.7
	Males 65-84:Cancer	41.6	41.1	40.8	40.1	40.3	40.7	40.0	34.2	45.9
	Males 85+:Cancer	26.8	21.7	26.8	21.4	29.0	24.6	24.4	15.8	36.3
	Females 0-64:Cancer	54.3	47.0	53.3	46.0	61.8	51.4	48.9	37.1	70
	Females 65-84:Cancer	35.4	35.4	39.2	34.5	38.5	37.3	36.0	27.9	46.1
	Females 85+:Cancer	13.8	14.3	15.4	13.7	16.0	15.1	15.1	9.6	20.7
	Persons 0-64:Cancer	43.8	42.7	42.4	39.7	49.7	41.6	39.2	28.2	51.8
	Persons 65-84:Cancer	38.7	38.5	40.1	37.4	39.5	39.2	38.2	33.2	45.7
Persons 85+:Cancer	18.0	17.1	19.5	16.3	20.6	18.5	18.3	14.4	23.2	
Percentage of deaths from cardiovascular disease (ANY LISTED CAUSE)	Males 0-64:Cardiovascular	31.9	29.9	32.4	34.0	25.7	30.9	32.5	18	42.9
	Males 65-84:Cardiovascular	45.9	49.8	47.9	44.9	48.7	46.5	48.1	40.2	57.7
	Males 85+:Cardiovascular	48.6	50.2	49.7	52.1	46.2	50.2	51.5	38.4	68
	Females 0-64:Cardiovascular	16.0	24.7	19.1	21.9	17.1	20.7	22.4	11.1	31.2
	Females 65-84:Cardiovascular	43.6	48.0	43.3	42.2	38.9	43.3	44.7	35.7	55.4
	Females 85+:Cardiovascular	48.4	49.5	52.7	46.7	47.0	48.4	50.2	40.6	65.1
	Persons 0-64:Cardiovascular	25.5	27.9	27.1	29.2	22.0	26.9	28.5	15.4	36.8
	Persons 65-84:Cardiovascular	44.9	49.0	45.8	43.6	44.4	45.0	46.5	38.9	55.3
Persons 85+:Cardiovascular	48.5	49.7	51.6	48.6	46.7	49.1	50.7	41.6	66.1	

	Indicators	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
Percentage of deaths from respiratory disease (ANY LISTED CAUSE)	Males 0-64:Respiratory	16.7	15.4	20.4	21.6	9.9	17.5	19.1	9.9	28.4
	Males 65-84:Respiratory	34.7	31.8	33.4	32.8	30.4	34.5	35.8	25.4	44.9
	Males 85+:Respiratory	43.0	43.8	41.9	40.2	33.5	42.3	44.6	33.3	56.7
	Females 0-64:Respiratory	20.7	21.9	18.3	19.3	18.4	18.0	20.1	7.1	30.8
	Females 65-84:Respiratory	30.3	31.6	31.5	31.5	26.9	31.5	33.6	21.8	41.4
	Females 85+:Respiratory	36.5	29.6	34.8	33.2	27.8	34.6	37.1	22.9	48.9
	Persons 0-64:Respiratory	18.3	17.9	19.6	20.7	13.6	17.7	19.5	11.3	28.2
	Persons 65-84:Respiratory	32.7	31.7	32.6	32.2	28.8	33.1	34.8	26	41.9
	Persons 85+:Respiratory	38.6	34.9	37.4	35.6	29.8	37.3	39.7	28.8	50.5
Percentage of deaths from other causes (ANY LISTED CAUSE)	Males 0-64:Other Causes	28.0	29.0	29.7	23.8	29.7	28.6	28.2	18.5	38.5
	Males 65-84:Other Causes	7.8	6.5	8.5	9.7	7.6	7.8	7.5	4.2	11.4
	Males 85+:Other Causes	13.0	14.3	11.4	12.6	15.4	12.9	11.8	5.4	21
	Females 0-64:Other Causes	18.6	18.6	20.7	26.2	15.8	20.7	21.0	11.7	37
	Females 65-84:Other Causes	13.5	9.3	10.5	13.1	13.8	10.6	10.4	5.7	16.2
	Females 85+:Other Causes	21.1	23.5	19.9	22.6	25.1	21.4	19.6	8.5	30
	Persons 0-64:Other Causes	24.3	25.0	26.1	24.7	23.7	25.5	25.4	16.4	34.8
	Persons 65-84:Other Causes	10.4	7.8	9.4	11.3	10.3	9.1	8.9	5.7	13
Persons 85+:Other Causes	18.5	20.0	16.8	19.2	21.7	18.4	16.9	8.3	25.8	
Summary percentage of deaths	Hospital: Persons All Ages	57.0	54.4	52.6	44.4	52.4	52.1	56.7	42.7	75.2
	Own Residence: Persons All Ages	20.2	21.6	18.6	18.5	21.6	20.7	20.0	14.8	28.7
	Old Peoples Homes: Persons All Ages	4.4	7.1	9.9	13.9	8.1	9.6	7.2	0.5	18.6
	Nursing Homes: Persons All Ages	13.8	10.6	8.7	16.5	13.5	11.0	9.0	1.4	23.4
	Hospice: Persons All Ages	2.6	4.6	8.4	5.7	2.7	4.7	5.2	0	13.7
	Elsewhere: Persons All Ages	2.0	1.7	1.8	1.1	1.7	1.9	1.9	1	3.7
Percentage of deaths in a hospital	Males 0-64:Hospital	48.6	43.8	44.7	47.5	38.6	46.0	51.1	35.5	64.7
	Males 65-84:Hospital	61.6	61.2	54.2	49.6	57.5	56.2	59.5	45.3	77.5
	Males 85+:Hospital	62.3	58.6	59.6	46.6	55.7	55.6	60.8	43.5	80.6
	Females 0-64:Hospital	53.2	49.3	43.9	49.7	56.6	50.5	54.9	35.1	75
	Females 65-84:Hospital	61.9	55.7	54.8	47.6	56.2	55.5	58.9	43.3	77
	Females 85+:Hospital	50.5	48.9	49.3	34.9	46.1	46.2	52.5	33.9	76.9
	Persons 0-64:Hospital	50.4	45.9	44.4	48.4	46.3	47.8	52.6	36.3	68.1
	Persons 65-84:Hospital	61.8	58.7	54.5	48.6	56.9	55.9	59.3	44.7	77.2
	Persons 85+:Hospital	54.4	52.5	53.0	38.9	49.4	49.5	55.3	37.1	78.3

	Indicators	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
Percentage of deaths in own residence	Males 0-64:Own Residence	31.9	39.1	29.2	34.4	46.5	34.5	31.7	22.7	49.5
	Males 65-84:Own Residence	26.1	24.2	25.3	21.7	26.5	25.8	23.9	16.6	36.4
	Males 85+:Own Residence	16.7	16.8	15.7	16.1	16.3	16.4	15.0	8.7	25.4
	Females 0-64:Own Residence	33.5	34.9	24.4	23.5	30.3	28.6	27.1	15	46.9
	Females 65-84:Own Residence	18.6	21.7	17.1	18.1	19.4	20.7	19.8	14.4	30.4
	Females 85+:Own Residence	11.3	11.4	11.1	12.4	13.8	12.0	11.2	5.8	21.4
	Persons 0-64:Own Residence	32.6	37.4	27.2	30.1	39.6	32.2	29.9	20.3	46.6
	Persons 65-84:Own Residence	22.7	23.1	21.6	19.9	23.4	23.4	22.0	16.3	32.7
	Persons 85+:Own Residence	13.1	13.4	12.8	13.6	14.7	13.6	12.5	7.1	21
Percentage of deaths in old peoples home	Males 0-64:Old Peoples Homes	0.4	No data	0.8	0.4	No data	0.6	0.5	0.1	4.3
	Males 65-84:Old Peoples Homes	1.6	3.3	4.5	8.3	3.9	3.9	3.1	0.5	9.6
	Males 85+:Old Peoples Homes	4.1	8.2	10.8	13.5	10.0	11.6	9.4	1.1	23.4
	Females 0-64:Old Peoples Homes	No data	0.5	0.8	0.5	2.6	0.8	0.5	0.1	5.1
	Females 65-84:Old Peoples Homes	2.7	5.3	8.2	11.4	8.1	6.8	5.4	0.1	15.3
	Females 85+:Old Peoples Home	10.5	16.7	20.0	26.3	13.8	20.9	17.2	1.4	35.9
	Persons 0-64:Old Peoples Homes	0.2	0.2	0.8	0.4	1.1	0.7	0.5	0.1	3.4
	Persons 65-84:Old Peoples Homes	2.1	4.2	6.2	9.8	5.8	5.3	4.1	0.3	11.7
Persons 85+:Old Peoples Homes	8.4	13.5	16.7	21.9	12.4	17.6	14.5	1.6	31.4	
Percentage of deaths in nursing home	Males 0-64:Nursing Homes	1.4	0.6	1.1	2.5	No data	1.5	1.3	0.1	7.1
	Males 65-84:Nursing Homes	7.1	4.8	5.0	11.1	6.8	6.9	5.8	1.1	13.8
	Males 85+:Nursing Homes	15.7	14.1	10.0	21.4	17.7	14.0	11.8	1.5	31.4
	Females 0-64:Nursing Homes	No data	1.9	1.2	7.0	No data	2.2	1.7	0.2	11.9
	Females 65-84:Nursing Homes	11.5	10.0	6.2	15.1	10.6	9.7	8.4	0.8	20.4
	Females 85+:Nursing Homes	27.3	21.4	16.8	24.9	25.1	19.3	17.2	1.8	41.1
	Persons 0-64:Nursing Homes	0.9	1.1	1.1	4.3	No data	1.8	1.5	0.1	8.9
	Persons 65-84:Nursing Homes	9.1	7.1	5.6	13.0	8.5	8.2	7.0	1	15.5
Persons 85+:Nursing Homes	23.5	18.6	14.3	23.7	22.5	17.4	15.3	1.9	37.8	

	Indicators	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
Percentage of deaths in hospice	Males 0-64:Hospice	4.6	8.3	12.8	8.9	4.0	7.9	7.1	0.1	21
	Males 65-84:Hospice	2.2	5.6	10.1	8.2	3.4	5.9	6.3	0.1	18.2
	Males 85+:Hospice	0.5	1.0	3.4	2.4	No data	1.7	2.3	0.2	9.4
	Females 0-64:Hospice	12.8	12.1	25.2	17.1	9.2	14.7	12.6	0.3	30.6
	Females 65-84:Hospice	3.8	5.8	12.3	7.3	5.3	6.1	6.3	0.1	15.9
	Females 85+:Hospice	0.1	1.2	2.2	1.3	0.3	0.9	1.3	0.1	6.8
	Persons 0-64:Hospice	7.9	9.8	17.8	12.2	6.2	10.5	9.3	0.1	23.6
	Persons 65-84:Hospice	2.9	5.7	11.1	7.8	4.2	6.0	6.3	0	16.8
	Persons 85+:Hospice	0.2	1.1	2.6	1.6	0.2	1.2	1.6	0.1	7
Percentage of deaths elsewhere	Males 0-64:Elsewhere	13.1	8.3	11.4	6.4	10.9	9.5	8.3	4	16.9
	Males 65-84:Elsewhere	1.4	1.0	0.8	1.1	2.0	1.4	1.4	0.2	3.4
	Males 85+:Elsewhere	0.7	1.4	0.5	No data	0.5	0.7	0.7	0.1	2.5
	Females 0-64:Elsewhere	0.5	1.4	4.5	2.1	1.3	3.3	3.2	0.5	9.5
	Females 65-84:Elsewhere	1.4	1.5	1.4	0.6	0.4	1.1	1.1	0.2	3.1
	Females 85+:Elsewhere	0.2	0.5	0.7	0.3	1.0	0.7	0.7	0.1	4.3
	Persons 0-64:Elsewhere	8.1	5.6	8.7	4.7	6.8	7.1	6.3	2.8	12.7
	Persons 65-84:Elsewhere	1.4	1.2	1.1	0.9	1.3	1.3	1.3	0.3	2.6
	Persons 85+:Elsewhere	0.4	0.8	0.6	0.2	0.8	0.67	0.7	0.1	3.2
Percentage of deaths in hospital by cause of death	Cancer Underlying:Hospital	53.8	43.0	38.4	32.8	51.1	43.0	45.3	29.1	76.3
	Cancer Any Mention:Hospital	55.8	46.0	41.4	36.4	50.8	45.5	48.0	32.3	77.3
	Cardiovascular Underlying:Hospital	58.8	59.8	58.5	47.0	51.8	55.3	59.6	43.2	74.1
	Cardiovascular Any Mention:Hospital	61.7	61.7	60.8	50.3	55.5	57.9	62.2	44.5	75.9
	Respiratory Underlying:Hospital	63.8	62.3	64.6	52.5	60.3	61.3	67.5	51.6	82.6
	Respiratory Any Mention:Hospital	66.5	67.8	65.2	55.6	64.6	63.5	69.2	52.5	83.9
	Other Causes Underlying:Hospital	55.4	56.1	54.9	47.7	50.8	53.4	59.6	40.8	77.1
	Other Causes Any Mention:Hospital	46.5	45.5	46.3	37.3	39.8	43.9	50.3	29.7	71.6
	Any Underlying:Hospital	57.0	54.4	52.6	44.4	52.4	52.1	56.7	42.7	75.2

	Indicators	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
Percentage of deaths in own residence by cause of death	Cancer Underlying:Own Residence	27.8	30.0	22.9	23.6	28.0	27.3	25.8	14.6	40.9
	Cancer Any Mention:Own Residence	26.1	28.4	22.5	23.2	27.5	26.1	24.6	14.1	39.6
	Cardiovascular Underlying:Own Residence	21.0	22.2	21.3	21.5	24.1	22.2	22.1	16	30
	Cardiovascular Any Mention:Own Residence	19.9	21.4	19.6	19.6	21.6	20.7	20.3	15	26.9
	Respiratory Underlying:Own Residence	12.1	15.7	10.7	12.9	11.2	14.3	13.7	7.5	22.7
	Respiratory Any Mention:Own Residence	10.8	14.0	10.7	10.8	11.4	12.7	12.4	6.6	20
	Other Causes Underlying:Own Residence	15.9	15.3	15.0	14.0	16.5	15.5	15.0	9.8	22.8
	Other Causes Any Mention:Own Residence	17.5	17.8	17.3	17.7	20.9	18.7	18.3	10	30.5
	Any Underlying:Own Residence	20.2	21.6	18.6	18.5	21.6	20.7	20.0	14.8	28.7
Percentage of deaths in old peoples homes by cause of death	Cancer Underlying:Old Peoples Home	3.2	2.8	5.4	9.4	5.6	5.2	3.8	0.2	14.1
	Cancer Any Mention:Old Peoples Home	3.1	2.6	5.6	9.3	6.0	5.3	3.9	0.2	14.6
	Cardiovascular Underlying:Old Peoples Home	4.2	6.1	10.5	15.0	7.1	9.7	7.3	0.8	21.3
	Cardiovascular Any Mention:Old Peoples Home	3.6	5.9	9.1	14.2	7.5	9.1	6.8	0.9	19.1
	Respiratory Underlying:Old Peoples Home	6.5	9.4	13.0	17.9	7.8	12.0	8.4	0.2	23.3
	Respiratory Any Mention:Old Peoples Home	3.7	7.3	11.2	13.5	5.8	10.2	7.3	0.4	18.6
	Other Causes Underlying:Old Peoples Home	4.8	11.6	12.4	14.6	12.2	12.9	9.9	0.1	25.5
	Other Causes Any Mention:Old Peoples Home	7.3	14.7	15.2	17.5	16.4	15.5	12.1	0.3	32.6
Any Underlying:Old Peoples Home	4.4	7.1	9.9	13.9	8.1	9.6	7.2	0.5	18.6	
Percentage of deaths in nursing homes by cause of death	Cancer Underlying:Nursing Homes	5.9	7.5	4.5	12.5	6.5	7.7	6.7	0.8	24.5
	Cancer Any Mention:Nursing Homes	6.2	7.5	4.5	11.6	7.5	7.7	6.8	0.8	23.2
	Cardiovascular Underlying:Nursing Homes	13.9	10.0	7.7	15.4	15.0	10.8	8.8	0.7	25
	Cardiovascular Any Mention:Nursing Homes	13.0	8.8	7.5	13.8	13.2	10.0	8.3	0.9	22.3
	Respiratory Underlying:Nursing Homes	16.8	11.4	10.0	15.2	19.0	11.5	9.2	0.9	25.9
	Respiratory Any Mention:Nursing Homes	18.1	9.8	10.0	18.2	17.5	11.9	9.4	1.5	24.8
	Other Causes Underlying:Nursing Homes	19.8	14.0	13.3	21.3	17.0	14.3	11.4	0.8	32.6
	Other Causes Any Mention:Nursing Homes	21.8	17.8	14.7	23.9	18.9	15.9	12.7	0.9	39.2
	Any Underlying:Nursing Homes	13.8	10.6	8.7	16.5	13.5	11.0	9.0	1.4	23.4

	Indicators	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
Percentage of deaths in hospices by cause of death	Cancer Underlying:Hospice	8.4	15.6	27.9	21.1	8.2	15.7	17.1	0.2	45.4
	Cancer Any Mention:Hospice	7.9	14.4	25.1	18.8	7.7	14.4	15.6	0.2	42
	Cardiovascular Underlying:Hospice	0.3	0.1	0.4	0.5	NULL	0.3	0.4	0	2.9
	Cardiovascular Any Mention:Hospice	0.4	0.6	1.5	1.4	0.3	0.8	0.9	0	4.8
	Respiratory Underlying:Hospice	0.3	0.5	1.1	1.0	1.7	0.5	0.6	0.1	3.8
	Respiratory Any Mention:Hospice	0.5	0.7	2.2	1.6	0.8	1.0	1.0	0.1	4.3
	Other Causes Underlying:Hospice	0.3	0.4	0.9	0.3	0.3	0.6	0.6	0.1	2.2
	Other Causes Any Mention:Hospice	0.2	0.2	0.7	0.2	NULL	0.6	0.7	0.1	2.8
	Any Underlying:Hospice	2.6	4.6	8.4	5.7	2.7	4.7	5.2	0	13.7
Percentage of deaths occurring elsewhere by cause of death	Cancer Underlying:Elsewhere	1.0	1.1	0.9	0.7	0.7	1.1	1.2	0.2	2.6
	Cancer Any Mention:Elsewhere	0.9	1.1	0.8	0.7	0.6	1.1	1.2	0.3	2.4
	Cardiovascular Underlying:Elsewhere	1.7	1.9	1.6	0.6	2.1	1.7	1.8	0.4	3.9
	Cardiovascular Any Mention:Elsewhere	1.4	1.6	1.5	0.7	2.0	1.5	1.5	0.6	3.2
	Respiratory Underlying:Elsewhere	0.5	0.7	0.6	0.4	NULL	0.6	0.6	0.1	2.1
	Respiratory Any Mention:Elsewhere	0.4	0.4	0.6	0.3	NULL	0.6	0.6	0.1	1.9
	Other Causes Underlying:Elsewhere	3.8	2.7	3.6	2.0	3.3	3.3	3.5	1	7.6
	Other Causes Any Mention:Elsewhere	6.7	4.1	5.9	3.5	4.1	5.5	5.9	1.8	13.4
	Any Underlying:Elsewhere	2.0	1.7	1.8	1.1	1.7	1.9	1.9	1	3.7

End of life care for those aged 85 and over (subset of above)

[link to Contents](#)

(Red = significantly higher than England, Green = significantly lower than England, Yellow = no significant difference, White = significance not assessed. Note that there is no judgement made about whether higher/lower is better/worse.)

	Indicators	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
Percentage of deaths from cancer (UNDERLYING CAUSE)	Males 85+:Cancer	22.0	17.6	22.8	18.1	24.9	20.4	19.9	9.7	32.2
	Females 85+:Cancer	11.4	13.0	12.6	11.7	13.8	12.8	12.8	8.1	17.3
	Persons 85+:Cancer	14.9	14.8	16.3	13.9	17.7	15.5	15.2	12.2	19.8
Percentage of deaths from cardiovascular disease (UNDERLYING CAUSE)	Males 85+:Cardiovascular	33.1	34.0	32.4	36.6	31.7	34.8	34.4	24.5	44.2
	Females 85+:Cardiovascular	35.5	37.1	37.3	33.6	36.2	36.4	36.0	27.9	51.2
	Persons 85+:Cardiovascular	34.7	36.0	35.5	34.6	34.6	35.9	35.4	27.8	48.8
Percentage of deaths from respiratory disease (UNDERLYING CAUSE)	Males 85+:Respiratory	16.9	19.7	18.4	15.9	14.0	17.4	19.4	10.9	29
	Females 85+:Respiratory	16.6	14.6	15.8	14.8	14.3	15.7	16.9	10.5	23.1
	Persons 85+:Respiratory	16.7	16.5	16.7	15.2	14.2	16.3	17.7	12.5	24.4
Percentage of deaths from other causes (UNDERLYING CAUSE)	Males 85+:Other Causes	28.0	28.7	26.4	29.4	29.4	27.3	26.4	17.2	37.9
	Females 85+:Other Causes	36.5	35.3	34.4	39.9	35.7	35.1	34.4	20.1	42.7
	Persons 85+:Other Causes	33.8	32.8	31.5	36.3	33.5	32.36	31.6	20.1	39.3
Percentage of deaths from cancer (ANY LISTED CAUSE)	Males 85+:Cancer	26.8	21.7	26.8	21.4	29.0	24.6	24.4	15.8	36.3
	Females 85+:Cancer	13.8	14.3	15.4	13.7	16.0	15.1	15.1	9.6	20.7
	Persons 85+:Cancer	18.0	17.1	19.5	16.3	20.6	18.5	18.3	14.4	23.2
Percentage of deaths from cardiovascular disease (ANY LISTED CAUSE)	Males 85+:Cardiovascular	48.6	50.2	49.7	52.1	46.2	50.2	51.5	38.4	68
	Females 85+:Cardiovascular	48.4	49.5	52.7	46.7	47.0	48.4	50.2	40.6	65.1
	Persons 85+:Cardiovascular	48.5	49.7	51.6	48.6	46.7	49.1	50.7	41.6	66.1
Percentage of deaths from respiratory disease (ANY LISTED CAUSE)	Males 85+:Respiratory	43.0	43.8	41.9	40.2	33.5	42.3	44.6	33.3	56.7
	Females 85+:Respiratory	36.5	29.6	34.8	33.2	27.8	34.6	37.1	22.9	48.9
	Persons 85+:Respiratory	38.6	34.9	37.4	35.6	29.8	37.3	39.7	28.8	50.5
Percentage of deaths from other causes (ANY LISTED CAUSE)	Males 85+:Other Causes	13.0	14.3	11.4	12.6	15.4	12.9	11.8	5.4	21
	Females 85+:Other Causes	21.1	23.5	19.9	22.6	25.1	21.4	19.6	8.5	30
	Persons 85+:Other Causes	18.5	20.0	16.8	19.2	21.7	18.4	16.9	8.3	25.8
Percentage of deaths in a hospital	Males 85+:Hospital	62.3	58.6	59.6	46.6	55.7	55.6	60.8	43.5	80.6
	Females 85+:Hospital	50.5	48.9	49.3	34.9	46.1	46.2	52.5	33.9	76.9
	Persons 85+:Hospital	54.4	52.5	53.0	38.9	49.4	49.5	55.3	37.1	78.3
Percentage of deaths in own residence	Males 85+:Own Residence	16.7	16.8	15.7	16.1	16.3	16.4	15.0	8.7	25.4
	Females 85+:Own Residence	11.3	11.4	11.1	12.4	13.8	12.0	11.2	5.8	21.4
	Persons 85+:Own Residence	13.1	13.4	12.8	13.6	14.7	13.6	12.5	7.1	21
Percentage of deaths in an old peoples home	Males 85+:Old Peoples Homes	4.1	8.2	10.8	13.5	10.0	11.6	9.4	1.1	23.4
	Females 85+:Old Peoples Home	10.5	16.7	20.0	26.3	13.8	20.9	17.2	1.4	35.9
	Persons 85+:Old Peoples Homes	8.4	13.5	16.7	21.9	12.4	17.6	14.5	1.6	31.4

	Indicators	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
Percentage of deaths in a nursing home	Males 85+:Nursing Homes	15.7	14.1	10.0	21.4	17.7	14.0	11.8	1.5	31.4
	Females 85+:Nursing Homes	27.3	21.4	16.8	24.9	25.1	19.3	17.2	1.8	41.1
	Persons 85+:Nursing Homes	23.5	18.6	14.3	23.7	22.5	17.4	15.3	1.9	37.8
Percentage of deaths in a hospice	Males 85+:Hospice	0.5	1.0	3.4	2.4	No data	1.7	2.3	0.2	9.4
	Females 85+:Hospice	0.1	1.2	2.2	1.3	0.3	0.9	1.3	0.1	6.8
	Persons 85+:Hospice	0.2	1.1	2.6	1.6	0.2	1.2	1.6	0.1	7
Percentage of deaths elsewhere	Males 85+:Elsewhere	0.7	1.4	0.5	No data	0.5	0.7	0.7	0.1	2.5
	Females 85+:Elsewhere	0.2	0.5	0.7	0.3	1.0	0.7	0.7	0.1	4.3
	Persons 85+:Elsewhere	0.4	0.8	0.6	0.2	0.8	0.67	0.7	0.1	3.2

CVD profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed.)

indicator	Somerset	England best	England average	England worst
CVD mortality (under 75)	53.9	46.3	70.4	121.8
Change in CVD mortality (%)	50.8	59.9	50.1	33.8
AMI mortality (under 75)	9.8	6.6	16.3	36
Stroke mortality (under 75)	10.9	7.8	12.8	25.9
Abs gap (rate) in quintiles CVD mort	48.2	-3.5	75	130.2
Rel gap (%) in quintiles CVD mort	158.9	-7.5	183.9	550.7
Estimated % smokers (16+)	20.0	12	22.2	35.2
Estimated % obese (16+)	24.4	13.2	24.2	32.8
4 week quitters per smokers (%)	4.0	7.5	4	2.2
Obs/Exp CHD prevalence	0.6	0.84	0.61	0.31
Obs/Exp Hypertension prevalence	0.5	0.52	0.44	0.32
CHD emergency admissions	155.0	125.1	205.3	379.1
Stroke emergency admissions	117.7	67.1	104.2	199.6
Primary angioplasty call median time	123.5	0	112	652
Stroke patients discharged home (%)	71.8	97.5	78.5	56.7
CHD expenditure per pop	38.8	111.9	41.1	7.2
Cerebrovascular expenditure per pop	26.8	50.6	21.5	9.9
Statins cost in CHD population*	207	144	219	362

*Lower costs for statin prescribing have been highlighted as good- in line with cost pressures on the NHS. However, it is important to note that low costs may also indicate underprescribing

Diabetes profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed.)

	indicator	Somerset	Diabetes cluster (similar diabetes risk factors)	England
Prevalence	Diagnosed diabetes 17+	5.4%	5.3%	5.4%
	Estimated prevalence of undiagnosed diabetes	7.7%	7.4%	7.4%
	People with diabetes 17+ with HbA1C of 7% or less	50.3%	-	-
Incidence of complications	Emergency admissions for diabetic ketoacidosis and coma	5.1	4.7	5.1
	Lower limb amputations in people with diabetes	3.8	2.7	2.5
	Minor lower limb amputations in people with diabetes	2.6	1.7	1.5
	Major lower limb amputations in people with diabetes	1.2	1.0	1.0
Provision of services and care	Discuss goals	43%	-	39%
	Attendance at education	11%	-	11%
	Visited by diabetes specialist team whilst inpatient	29%	-	24%
	All inpatient staff aware of diabetes	66%	-	68%
Spend and outcome	Spend on diabetes care		-	-
	HbA1c outcome		-	-

Diabetes foot care activity profiles

[link to Contents](#)

(Red = significantly higher than England, Green = significantly lower than England, Yellow = no significant difference, White = significance not assessed.)

	indicator	Somerset	Diabetes cluster (similar diabetes risk factors)	England lowest	England	England highest
Indicators based on ALL Inpatient Footcare	Episodes of care in hospital for diabetic foot disease per 1,000 people aged 17+ with diabetes	23.2	18.3	8.3	17.6	27.1
	Number of days in hospital for diabetic footcare disease per 1,000 people aged 17+ with diabetes	245.2	190.0	57.3	184.1	293.1
	Average number of nights spent in hospital per episode of care for diabetic footcare diseases	10.6	10.4	6.0	10.5	15.3
	% of episodes of care for diabetic foot conditions accounted for by patients who had more than one inpatient stay	84.4%	78.9%	58.9%	78.8%	89.0%
	% of patients who had more than one episode of care for diabetic foot disease within the three years	61.5%	52.9%	33.5%	52.9%	68.7%
	% of patients who had more than four episodes of care for diabetic foot diseases within three years	20.0%	15.9%	5.1%	15.3%	26.2%
Indicators based on Amputations only	Amputations per 1,000 people aged 17+ with diabetes	4.2	3.0	1.0	2.7	5.7
	Number of days in hospital for amputations per 1,000 people aged 17+ with diabetes	73.2	56.3	20.4	55.9	112.2
	Major amputations per 1,000 people aged 17+ with diabetes	1.48	1.16	0.42	1.08	2.29
	Minor amputations per 1,000 people aged 17+ with diabetes	2.75	1.84	0.50	1.64	3.44

Cancer profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed.)

indicator	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England
All cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 PERSONS	95.54	98.78	102.16	88.58	92.37	104.58	101.84	111.6
All cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 MALES	108.32	115.3	123.66	94.27	106.66	110.21	111.93	122.6
All cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 FEMALES	82.75	82.27	80.66	82.89	78.08	98.94	91.74	100.6
Lung cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 PERSONS	18.16	16.25	23.77	14.41	18.59	21.06	20.28	26.0
Lung cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 MALES	24.89	22.63	34.59	18.49	25.8	26.71	25.08	31.0
Lung cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 FEMALES	11.43	9.87	12.95	10.33	11.38	15.41	15.49	20.9
Colorectal cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 PERSONS	9.49	10.5	10.27	8.95	8.44	9.48	9.58	10.1
Colorectal cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 MALES	12.46	14.16	13.62	11.4	10.81	13.03	11.98	12.5
Colorectal cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 FEMALES	6.53	6.84	6.91	6.5	6.07	5.93	7.18	7.7
Breast cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 FEMALES	17.38	21.89	15.59	18.76	12.59	15.09	19.29	20.0
Prostate cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 MALES	7.37	10.22	7.66	7.04	6.98	3.05	8.34	8.5
Upper GI cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 PERSONS	13.09	13.63	15.17	11.45	10.74	17.72	13.56	14.8
Upper GI cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 MALES	19.18	20.06	22.31	16.74	16.3	24.45	18.27	20.1
Upper GI cancer mortality rates (per 100,000 population) in those aged under 75 2007-2009 FEMALES	7.01	7.19	8.03	6.17	5.19	11	8.85	9.6

Skin cancer profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed.)

	Indicator Name	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England
Malignant melanoma	Incidence - All age: 2006-08 DSR per 100,000	21.5	23.6	21.4	19.3	22	26.7	-	15.6
	Incidence - Under age 75: 2006-08 DSR per 100,000	19.1	16.3	15.7	16.8	19.7	22.2	-	14
	Mortality - All age: 2006-08 DSR per 100,000	2.9	2.7	3.5	3.1	2.8	1.4	-	2.6
	Mortality - Under age 75: 2006-08 DSR per 100,000	2.2	SUPPRESSED	3	2.3	2.5	SUPPRESSED	-	2
Contributory Factors	IMD 2007 Average score	15.9	14.9	17.7	13.9	15.6	23.2	-	21.6
	Ethnicity: White % - 2007	97	96	97	97	96	97	-	88
	Population age - 2007 estimate: % Aged over 75	11.2	9.7	10.7	11.4	11.4	16.7	-	8.4
	Sunshine hours: Yearly average 1961-1990	1461	1480	1488	1516	1475	1437	-	1420
	Sunbed outlet density (Total population): Sunbed outlets per 100,000 population	-	2.8	2.7	1.3	1.9	2.8	-	8.9
	Sunbed outlet density (High risk population): Sunbed outlets per 100,000 high risk population	-	12.3	12.7	5.8	8	15.7	-	37.5
General Health	Male life expectancy at birth: 2006-08	79.1	79.4	78.3	79.6	78.9	79.3	-	77.9
	Female life expectancy at birth: 2006-08	83.3	83.2	83.1	83.7	82.9	84.3	-	82
	Early deaths from cancer: 2006-08 DSR per 100,000	99.9	104.7	106.3	96.8	90.4	106.3	-	114
	Early deaths from circulatory diseases: 2006-08 DSR per 100,000	57.7	51.3	63.3	57.2	59.7	54.6	-	74.8

Urological cancer profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed.)

	Indicator Name	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England
Prostate cancer	Prostate cancer incidence - 2006-08: DSR per 100,000 men	101.9	110	97.4	105.5	106	76	-	100.7
	Prostate cancer mortality - 2006-08: DSR per 100,000 men	24.5	21	23.4	26.7	28.7	16.4	-	24.4
Bladder cancer	Male bladder cancer incidence - 2006-08: DSR per 100,000 men	18.9	15.5	16.4	21	20.2	21.1	-	19.4
	Female bladder cancer incidence - 2006-08: DSR per 100,000 women	4.7	6.1	6.2	4.4	SUPPRESSED	SUPPRESSED	-	5.6
	Male bladder cancer mortality - 2006-08: DSR per 100,000 men	7.5	SUPPRESSED	7.7	9.2	6.9	SUPPRESSED	-	8
	Female bladder cancer mortality - 2006-08: DSR per 100,000 women	2	SUPPRESSED	SUPPRESSED	2	SUPPRESSED	SUPPRESSED	-	2.8
Kidney cancer (not renal pelvic)	Male kidney cancer incidence - 2006-08: DSR per 100,000 men	13.3	SUPPRESSED	14.5	11.7	14.4	SUPPRESSED	-	12.7
	Female kidney cancer incidence - 2006-08: DSR per 100,000 women	8.1	8.7	7.7	8.8	SUPPRESSED	SUPPRESSED	-	6.5
Associated indicators	IMD 2007: Percentage of households	11.5	8	7.6	7.4	7.1	9.9	-	15.6
	Smoking prevalence (modelled): 2003-05 percentage	21.1	19.2	18.1	19.1	19.6	22.8	-	24.1
	Male life expectancy at birth: 2006-08	79.1	79.7	79.2	79.6	79.3	78.4	-	77.7
	Female life expectancy at birth: 2006-08	83.3	83.3	83.4	82.7	81.7	82.3	-	81.8

Health protection profiles

[link to Contents](#)

Indicator Name	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	England
Number of newly diagnosed cases of tuberculosis per 100,000 population (2007-2009)	-	3	2	2	2	3	15.5
Number of notifications of food poisonings per 100,000 population (2009)	-	202.2	229.7	236.2	269.5	187.4	135.2
Number of lab confirmed cases of gastrointestinal disease per 100,000 population (2009)	326.3	299.8	294	301.9	440.9	256.1	210.1
Percentage of establishments broadly compliant with food hygiene standards (2010)	-	-	-	-	-	-	92.1
Number of new cases of malignant melanoma per 100,000 population, all ages (2006-08)	21.5	23.6	21.4	19.3	22	26.7	15.6
Number of new cases of malignant melanoma in persons aged under 75 per 100,000 under 75 year olds (2006-2008)	19.1	20.7	19.5	16.6	19.8	25.2	14
Percentage uptake of first dose of Measles, Mumps and Rubella vaccine by 2 years	88	-	-	-	-	-	88.2
Percentage uptake of first dose Measles, Mumps and Rubella vaccine by 5 years	92.5	-	-	-	-	-	91
Percentage uptake of second dose Measles, Mumps and Rubella vaccine by 5 years	85.6	-	-	-	-	-	82.7
Three year average of the number of confirmed cases of measles per 100,000 population	0.6	-	-	-	-	-	2.1
Percentage uptake of all 3 doses of Human Papillomavirus vaccine by girls aged 12-13 years	77.2	-	-	-	-	-	76.4
Percentage uptake of the pneumococcal vaccine in persons aged 65 years and older	71.9	-	-	-	-	-	69
Percentage uptake of the seasonal flu vaccine in at risk groups	52.4	-	-	-	-	-	51.6
Number of hospital admissions due to asthma per 100,000 population	111.9	-	-	-	-	-	128
Number of diagnoses of syphilis infections in GUM clinics per 100,000 population	suppressed	-	-	-	-	-	5.2
Number of diagnoses of gonorrhoea infections in GUM clinics per 100,000 population	8	-	-	-	-	-	28.5
Number of chlamydia diagnoses per 100,000 individuals aged 15-24 years	1822.3	-	-	-	-	-	2180.6
Number of persons diagnosed with HIV aged 15 years and older per 1000 population	0.4	-	-	-	-	-	1.7
Percentage of persons diagnosed with HIV late	38.5	-	-	-	-	-	32.1

Sexual health profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed.)

	Key Indicators	Somerset	South West	England
Teenage Conceptions	Percentage change in rate age under 18 conceptions (LA partners) since 1998	-14.0	-12.0	-13.3
Abortions	Percentage all age NHS-funded abortions <10 weeks	66.6	72.9	74.4
	Percentage age under 18 abortions <10 weeks	61.4	68.1	68.2
	Percentage age under 19 repeat abortions (previously age under 18)	6.7	8.7	11.1
Contraception	Rate GP prescribed long acting reversible contraception (LARC) ¹	71.1	60.8	46.9
	Percentage age under 18 choose LARC at community and sexual reproductive health (CSRH) services (PCT host)	6.4	16.1	11.3
Sexually Transmitted Infections and HIV	Percentage age 15–24 screened for chlamydia outside GUM clinics	20.8	19.3	22.1
	Rate age 15-24 diagnoses of chlamydia in all settings ²	1822.3	2035.3	2212.8
	Rate diagnoses of gonorrhoea in GUM clinics ²	8.0	15.1	29.7
	Rate diagnoses of syphilis in GUM clinics ²	SUPPRESSED	2.3	5.5
	Percentage uptake of HIV testing in GUM clinics	77.6	74.4	76.6
	Percentage HIV diagnosed late (low CD4 cell count)	60.0	29.0	29.6
	Prevalence of diagnosed HIV ²	0.51	0.84	1.81
	Percentage GUM clinic clients offered appointment within 2 working days	100	100	99.83
	Percentage GUM clinic clients seen within 2 working days	92.8	87.6	88.2

Tobacco control profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed.)

Indicators	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England worst	England average	England Best
Smoking attributable deaths 2007-09	173.6	167.5	201.7	160.0	176.2	162.2	180.6	361.5	216.0	138.4 131.9
Smoking attributable deaths from heart disease 2007-09	23.9	21.4	31.0	19.9	26.2	21.2	26.4	59.9 60.7	32.1	18.7 16.7
Smoking attributable deaths from stroke 2007-09	8.2	8.9	9.3	6.9	9.4	6.1	8.4	18.4	10.1	5.7 5.0
Deaths from lung cancer 2007-09	27.2	24.7	33.0	23.4	27.6	31.4	30.3	69.4	38.2	21.8 18.4
Deaths from chronic obstructive pulmonary disease 2007-09	20.5	20.2	21.8	20.3	21.5	16.6	20.8	48.7	26.2	14.7 11.9
Smoking attributable hospital admissions 2009-10	1,168.7	1,105.8	1,360.2	1,186.5	1,091.0	952.1	1,285.8 1,286.8	2,508.1 2,538.6	1,417.2	797.3 760.6
Lung cancer registrations 2006-08	35.1	31.4	40.8	32.1	35.9	38.8	39.3 39.4	87.3	48.3	29.7 24.4
Oral cancer registrations 2006-08	8.8	8.3	8.2	9.1	8.6	10.3	8.3	16.0	8.9	5.4 2.7
Smoking in pregnancy 2009-10*	18.3	18.3	18.3	18.3	18.3	18.3	14.2	31.4 31.9	14.0	4.5
Successful quitters at 4 weeks 2009-10	806.2	-	-	-	-	-	808.0	405.7	894.7	1,933.9
Successful quitters at 4 weeks (CO validated) 2009-10	581.7	-	-	-	-	-	578.3	51.3	614.2	1,455.3
Completeness of NS-SEC recording by Stop Smoking Services 2009-10	57.6	-	-	-	-	-	81.8	29.6	78.9	99.4
Prescribed NRT, Varenicline and Bupopriion 2009-10	6,100.9	-	-	-	-	-	5,688.1	914.7	4,847.5	13,762.9
18+ smoking prevalence Oct 09 - Sept 10	-	20.8	23.3	16.8	21.0	15.9	19.7	42.9	21.0	8.4
18+ smoking prevalence-routine & manual Oct 09-Sept 10	-	24.9	28.2	28.9	30.7	22.8	28.2	31.4	29.4	14.9

*Somerset rate used for all local authorities in Somerset

Where there are 2 values shown the first is for PCTs and the second for Local Authorities

Alcohol profiles

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed.)

Indicator Name	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England minimum	England maximum
Months of life lost - males	8.5	8.9	9.4	8.5	7.0	9.1	8.7	9.1	5.6	20.8
Months of life lost - females	3.5	2.8	4.2	3.3	4.3	1.4	3.9	4.2	2.0	9.1
Alcohol-specific mortality - males	10.0	7.9	13.7	10.7	6.8	13.0	11.9	13.1	5.0	35.4
Alcohol-specific mortality - females	4.8	4.7	5.9	5.4	4.3	0.6	5.4	6.1	1.1	16.6
Mortality from chronic liver disease - males	11.0	7.4	14.3	13.9	8.8	4.5	11.9	13.8	7.2	46.3
Mortality from chronic liver disease - females	5.9	4.3	6.1	7.9	6.4	0.0	5.9	7.2	2.5	20.9
Alcohol-attributable mortality - males	34.7	31.4	36.6	41.6	31.1	18.2	34.6	35.9	20.0	69.4
Alcohol-attributable mortality - females	12.7	11.8	11.9	14.2	13.0	8.6	14.0	14.9	7.6	29.0
Alcohol-specific hospital admission - under 18s	73.8	74.5	43.7	74.5	104.0	68.1	67.5	61.8	20.1	154.9
Alcohol-specific hospital admission - males	311.5	295.9	282.9	302.5	364.2	385.6	398.6	430.1	166.9	1082.4
Alcohol-specific hospital admission - females	156.0	167.0	130.4	157.4	160.6	182.6	197.4	210.5	79.9	517.4
Alcohol-attributable hospital admission - males	1214.3	1170.4	1196.1	1258.5	1268.4	1160.2	1284.0	1400.3	822.7	2443.1
Alcohol-attributable hospital admission - females	665.5	664.1	652.7	680.7	669.0	647.4	725.3	790.1	449.7	1371.8
Hospital admissions for alcohol-related harm (NI 39)	1395.4	1313.6	1404.8	1442.6	1443.3	1340.9	1605.4	1742.8	849.5	3114.3
Alcohol-attributable recorded crimes	4.2	5.8	5.8	5.1	5.8	4.1	6.3	7.6	3.6	16.9
Alcohol-attributable violent crimes	3.2	4.7	4.7	4.3	4.6	3.5	4.9	5.5	2.8	13.0
Alcohol-attributable sexual offences	0.09	0.08	0.12	0.08	0.08	0.06	0.13	0.1	0.1	0.3
Claimants of incapacity benefits - working age	80.6	95.5	62.1	67.0	95.3	109.6	115.0	103.7	27.4	362.4
Mortality from land transport accidents	2.1	3.5	2.3	1.9	1.0	1.7	1.8	1.5	0.6	4.0
Lower risk drinking (synthetic estimate)	-	76.1	73.7	76.8	77.6	83.4	72.2	72.1	57.2	86.4
Increasing risk drinking (synthetic estimate)	-	19.7	21.5	18.9	18.6	13.1	22.4	20.8	10.8	33.5
Higher risk drinking (synthetic estimate)	-	4.2	4.8	4.3	3.8	3.5	5.4	7.1	2.5	16.1
Binge drinking (synthetic estimate)	18.8	20.3	17.6	18.1	20.7	16.6	20.7	20.1	4.6	33.2
Employees in bars - % of all employees	2.6	3.3	3.2	2.5	1.7	3.3	2.6	2.1	0.8	3.5
Alcohol treatment - prevalence per 1,000 population	1.1	-	-	-	-	-	3.2	3.0	0.2	8.4

Obesity profiles – School measurement

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed)

	Indicator	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
	Reception participation	93.2							93.1	74.9	99.9
BMI classification UK90 population monitoring cut-offs (2/85/95)	Children aged 4-5 years % obese	9.7	9.0	10.2	10.6	9.0	8.9	9.2	9.8	6.2	14.8
	Children aged 4-5 years % overweight & obese	23.7	23.7	25.0	24.6	21.2	22.7	23.2	23.1	16.7	29.8
	Children aged 4-5 years % healthy weight	75.8	75.7	74.4	75.0			76.2	76.0	69.1	82.1
	Boys aged 4-5 years % obese	10.5	10.3	10.0	11.8	10.4	7.1	9.8	10.5	6.3	15.6
	Boys aged 4-5 years % overweight & obese	25.5	24.9	26.3	26.5	25.0	20.4	24.7	24.3	16.0	31.8
	Boys aged 4-5 years % healthy weight	73.7						74.5	74.5	66.6	82.3
	Girls aged 4-5 years % obese	8.9	7.6	10.3	9.5	7.5	10.7	8.6	9.2	5.6	14.8
	Girls aged 4-5 years % overweight & obese	21.8	22.4	23.7	22.6	17.5	25.0	21.7	21.8	15.7	28.0
	Girls aged 4-5 years % healthy weight	78.0					78.0	77.5	71.6	83.7	
BMI classification UK90 clinical cut-offs (2/91/98)	Children aged 4-5 years % obese	5.2	4.6	4.5	5.5	6.0	4.9	5.2	5.9	3.7	9.9
	Children aged 4-5 years % overweight & obese	15.1	14.4	16.1	16.2	13.4	14.7	14.9	15.3	10.7	21.3
	Children aged 4-5 years % healthy weight	84.3	85.0	83.1	83.4			84.4	83.6	77.5	88.5
	Boys aged 4-5 years % obese	5.3	4.3	3.7	5.9	7.2	5.3	5.4	6.3	3.9	11.2
	Boys aged 4-5 years % overweight & obese	17.0	16.7	16.8	18.3	16.3	13.3	15.9	16.3	10.7	22.7
	Boys aged 4-5 years % healthy weight	82.1						83.2	82.5	75.7	87.6
	Girls aged 4-5 years % obese	5.1	4.9	5.4	5.2	4.9	4.5	4.9	5.4	2.9	9.7
	Girls aged 4-5 years % overweight & obese	13.2	11.8	15.4	13.9	10.5	16.1	13.9	14.3	9.6	19.8
	Girls aged 4-5 years % healthy weight	86.6					85.7	84.9	78.3	89.6	
	Year 6 participation	88.5							89.7	66.9	99.1
BMI classification UK90 population monitoring cut-offs (2/85/95)	Children aged 10-11 years % obese	15.7	16.9	16.6	15.1	15.2	13.8	16.1	18.7	12.1	28.6
	Children aged 10-11 years % overweight & obese	29.4	28.3	30.6	29.6	28.8	29.6	30.4	33.4	26.5	43.6
	Children aged 10-11 years % healthy weight	69.8			69.1	70.5		68.6	65.4	55.0	72.2
	Boys aged 10-11 years % obese	17.4	16.9	18.8	15.7	18.7	17.2	17.4	20.4	14.7	33.9
	Boys aged 10-11 years % overweight & obese	31.7	29.4	33.9	30.4	33.1	32.4	31.8	35.0	28.9	48.3
	Boys aged 10-11 years % healthy weight	67.4			68.0			67.3	63.9	51.2	69.7
	Girls aged 10-11 years % obese	14.0	16.9	14.2	14.4	11.5	10.5	14.7	17.0	9.0	24.7
	Girls aged 10-11 years % overweight & obese	27.0	27.1	27.0	28.8	24.2	27.0	28.9	31.6	22.6	42.4
	Girls aged 10-11 years % healthy weight	72.5			70.3		70.0	66.9	56.9	75.6	

	Indicator	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
BMI classification UK90 clinical cut-offs (2/91/98)	Children aged 10-11 years % obese	9.9	10.0	10.3	10.2	9.7	8.1	10.0	11.9	7.0	20.3
	Children aged 10-11 years % overweight & obese	22.1	22.3	23.4	21.6	21.6	21.2	22.7	25.8	19.1	36.5
	Children aged 10-11 years % healthy weight	77.0		76.0	77.1	77.5		76.2	72.7	62.1	79.5
	Boys aged 10-11 years % obese	11.3	10.8	11.8	10.7	12.2	11.7	11.3	13.3	8.1	24.2
	Boys aged 10-11 years % overweight & obese	24.4	23.1	26.5	22.5	25.8	24.8	24.1	27.5	21.3	41.3
	Boys aged 10-11 years % healthy weight	74.7			75.9			74.9	71.3	58.3	77.2
	Girls aged 10-11 years % obese	8.4	9.1	8.6	9.6	7.1	4.6	8.6	10.5	5.8	17.8
	Girls aged 10-11 years % overweight & obese	19.7	21.5	20.0	20.5	17.1	17.8	21.3	24.1	15.6	33.7
	Girls aged 10-11 years % healthy weight	79.5			78.5			77.5	74.2	65.5	82.4
Determinants	Deprivation IMD 2007 (high = more deprived)	15.9	14.8	17.8	13.9	15.7	23.2	17.6		8.1 (PCT) 14.8 (LA)	48.3 (PCT) 17.8 (LA)
	IDACI score 2007 (high = more deprived)		0.14	0.17	0.13	0.15	0.22	0.17		0.06 (LA)	0.66 (LA)
	Child Well-being Index score (high = more deprived)		94	129	112	119	147	129		46	359
	% KS2 level 4 Maths & English - 2009		72.0	71.0	71.0	73.0	63.0	72.2		56.0	86.0
	2007 Population by ethnic group children aged 0-15 years - White		95.31	95.15	95.50	95.05	96.08	93.76		30.22	97.21
	2007 Population by ethnic group children aged 0-15 years - Mixed		2.35	2.43	2.08	1.49	0.00	2.77		0.00	11.18
	2007 Population by ethnic group children aged 0-15 years - Asian		0.94	1.46	1.38	1.49	0.00	1.83		0.00	53.08
	2007 Population by ethnic group children aged 0-15 years - Black		0.47	0.49	0.69	0.50	0.00	0.94		0.00	29.47
	% land is green space		93.00	89.20	92.35	90.70	94.52	90.75		12.37	97.28
% land is domestic garden		2.42	3.08	3.02	3.56	1.05	3.07		0.43	34.74	

Obesity profiles – Adults

[link to Contents](#)

(Red = significantly worse than England, Green = significantly better than England, Yellow = no significant difference, White = significance not assessed)
The prevalence rates are crude rates, so will be high because of the older population structure of Somerset compared to England

	Indicator	Somerset	Mendip	Sedgemoor	South Somerset	Taunton Deane	West Somerset	South West	England	England lowest	England highest
	Modelled obesity prevalence (%)		25.4	25.6	25.5	21.7	21.9	24.7	24.2	13.2	32.8
Associated diseases	Colorectal Cancer Incidence (rate per 100,000) 2004/6 - PERSONS		51.7	54.1	45.8	49.3	55.9	47.7	45.6	29.0	61.1
	Colorectal Cancer Incidence (rate per 100,000) 2004/6 - MALES		64.5	64.8	59.1	51.4	59.3	57.7	56.6	32.4	84.5
	Colorectal Cancer Incidence (rate per 100,000) 2004/6 - FEMALES		41.5	45.1	34.6	47.2	52.4	39.5	36.6	24.1	52.6
	CHD Prevalence (%) 2006 - PERSONS		5.9	6.3	5.9	6.1	9.4	6.0	5.6	3.0	9.4
	CHD Prevalence (%) 2006 - MALES		7.2	7.8	7.2	7.4	11.8	7.3	6.8	3.7	11.8
	CHD Prevalence (%) 2006 - FEMALES		4.7	4.9	4.6	4.9	7.4	4.8	4.5	2.4	7.4
	Type 2 Diabetes Prevalence (%) 2006 - PERSONS		4.1	4.5	4.4	4.3	6.2	4.3	4.1	2.9	6.2
	Type 2 Diabetes Prevalence (%) 2006 - MALES		3.3	3.6	3.5	3.4	5.0	3.4	3.4	2.3	5.2
	Type 2 Diabetes Prevalence (%) 2006 - FEMALES		4.9	5.3	5.2	5.1	7.4	5.1	4.9	3.4	7.4
	Hypertension Prevalence (%) 2006 - PERSONS		33.3	34.8	32.4	33.5	41.6	32.3	30.4	21.4	41.6
Hypertension Prevalence (%) 2006 - MALES		34.3	35.7	32.7	34.0	42.0	32.8	31.4	0.0	42.0	
Hypertension Prevalence (%) 2006 - FEMALES		32.4	33.9	32.2	33.1	41.4	31.7	29.4	19.1	41.4	
Physical activity 2007/8	Persons % 0x30mins (including transport)		62.7	58.3	60.1	60.3	59.0	60.8	60.5	46.6	78.5
	Persons % 3x30mins (including transport)		27.1	26.5	26.4	29.6	27.4	29.1	28.3	20.1	46.6
	Persons % 5x30mins (including transport)		17.2	15.1	17.9	20.2	18.8	18.0	16.8	8.3	27.1
	Persons % 0x30mins (excluding transport)		61.1	54.2	57.9	56.3	56.2	57.7	56.6	43.2	70.7
	Persons % 3x30mins (excluding transport)		23.6	23.2	23.6	22.4	23.6	24.4	23.6	15.0	42.8
	Persons % 5x30mins (excluding transport)		13.9	10.6	14.7	13.0	13.2	13.2	12.4	6.6	19.3
Associated indicators	Deprivation IMD 2007 (high = more deprived)		14.8	17.8	13.9	15.7	23.2	17.3		4.1	47.0
	% land is green space 2005		93.0	89.2	92.4	90.7	94.5	90.7		4.8	97.3
	2006 Population by ethnic group - White		96.86	97.30	97.13	96.83	97.45	95.71	88.68	39.21	100.00
	2006 Population by ethnic group - Mixed		0.92	0.81	0.70	0.74	0.57	1.06	1.63	0.00	4.70
	2006 Population by ethnic group - Asian		1.02	0.81	0.89	1.21	0.85	1.43	5.49	0.00	34.12
	2006 Population by ethnic group - Black		0.65	0.54	0.57	0.47	0.57	0.85	2.76	0.00	22.06